

References

Articles in peer-reviewed journals, English

Published / veröffentlicht

1. ** Rief, W. (2021). Moving from tradition-based to competence-based psychotherapy. *BMJ Evidence-based Mental Health*, in press. IF 8.14.
2. Rief, W. (2021). Fear of Adverse Effects and COVID-19 Vaccine Hesitancy. Recommendations of the Treatment Expectation Expert Group. *JAMA Health Forum*. doi:10.1001/jamahealthforum.2021.0804
3. Berlin, P., Leppin, N., Nagelschmidt, K., Seifart, C., Rief, W. & von Blanckenburg, P. (2021). Development and Validation of the Readiness for End-of-Life Conversations (REOLC) Scale. *Frontiers in Psychology*, 12. doi:10.3389/fpsyg.2021.662654
4. Betker, L., Nagelschmidt, K., Leppin, N., Knorrenchild, J. R., Volberg, C., Berthold, D., Sibelius, U., Rief, W., Barke, A., von Blanckenburg, P., & Seifart, C. (2021). The Difficulties in End-of-Life Discussions- Family Inventory (DEOLD-FI): Development and Initial Validation of a Self-Report Questionnaire in a Sample of Terminal Cancer Patients. *Journal of Pain and Symptom Management*, 62(3), E130-E138. doi:10.1016/j.jpainsympman.2021.04.022
5. Dorn, L. M. L., Struck, N., Bitsch, F., Falkenberg, I., Kircher, T., Rief, W., & Mehl, S. (2021). The Relationship Between Different Aspects of Theory of Mind and Symptom Clusters in Psychotic Disorders: Deconstructing Theory of Mind Into Cognitive, Affective, and Hyper Theory of Mind. *Frontiers in Psychiatry*, 12. doi:10.3389/fpsy.2021.607154
6. Exner, C., Doering, B. K., Conrad, N., Kunemund, A., Zwick, S., Kuhl, K., Nestler, S., & Rief, W. Integrated neuropsychological and cognitive behavioural therapy after acquired brain injury: A pragmatic randomized clinical trial. *Neuropsychological Rehabilitation*. doi:10.1080/09602011.2021.1908902
7. Feldmann, M., Hein, H. J., Voderholzer, U., Doerr, R., Hoff, T., Langs, G., Herzog, P., Kaiser, T., Rief, W., Riecke, J., & Brakemeier, E. L. (2021). Cognitive Change and Relaxation as Key Mechanisms of Treatment Outcome in Chronic Pain: Evidence From Routine Care. *Frontiers in Psychiatry*, 12. doi:10.3389/fpsy.2021.617871
8. Glombiewski, J. A., Hansmeier, J., Haberkamp, A., Rief, W., & Exner, C. (2021). Metacognitive therapy versus exposure and response prevention for obsessive-compulsive disorder-A pilot randomized trial. *Journal of Obsessive-Compulsive and Related Disorders*, 30. doi:10.1016/j.jocrd.2021.100650
9. Haas, J. W., Rief, W., Weiss, F., Doering, B. K., Kleinstauber, M., Ruwoldt, S., Sarter, L., Thomas, R., & Rheker, J. The effect of patient-centered communication on medication intake: an experimental study. *Psychology Health & Medicine*. doi:10.1080/13548506.2021.1969666
10. Haberkamp, A., Walter, H., Althaus, P., Schmuck, M., Rief, W., & Schmidt, F. (2021). Testing a gamified Spider App to reduce spider fear and avoidance. *Journal of Anxiety Disorders*, 77. doi:10.1016/j.janxdis.2020.102331
11. Herzog, P., Osen, B., Stierle, C., Middendorf, T., Voderholzer, U., Koch, S., Feldmann, M., Rief, W., & Brakemeier, E. L. Determining prognostic variables of treatment outcome in obsessive-compulsive disorder: effectiveness and its predictors in routine clinical care. *European Archives of Psychiatry and Clinical Neuroscience*. doi:10.1007/s00406-021-01284-6
12. Nagelschmidt, K., Leppin, N., Seifart, C., Rief, W. & von Blanckenburg, P. (2021). Systematic mixed-method review of barriers to end-of-life communication in the family context. *Bmj Supportive & Palliative Care*, 11(3), 253-263. doi:10.1136/bmjspcare-2020-002219

13. ** Pfaar, O., Agache, I., Bergmann, K. C., Bindslev-Jensen, C., Bousquet, J., Creticos, P. S., Devillier, P., Durham, S. R., Hellings, P., Kaul, S., Kleine-Tebbe, J., Klimek, L., Jacobsen, L., Jutel, M., Muraro, A., Papadopoulos, N. G., **Rief**, W., Scadding, G. K., Schedlowski, M., Shamji, M. H., Sturm, G., van Ree, R., Vidal, C., Vieths, S., Wedi, B., Gerth van Wijk, R., & Frew, A. J. (2021). Placebo effects in allergen immunotherapy-An EAACI Task Force Position Paper. *Allergy*, 76(3), 629-647. doi:10.1111/all.14331
14. Pfaar, O., Klimek, L., Jutel, M., Akdis, C. A., Bousquet, J., Breiteneder, H., Chinthurajah, S., Diamant, Z., Eiwegger, T., Fokkens, W. J., Fritsch, H. W., Nadeau, K. C., O'Hehir, R. E., O'Mahony, L., **Rief**, W., Sampath, V., Schedlowski, M., Torres, M. J., Traidl-Hoffmann, C., Wang, D. Y., Zhang, L., Bonini, M., Brehler, R., Brough, H. A., Chivato, T., Del Giacco, S. R., Dramburg, S., Gawlik, R., Gelincik, A., Hoffmann-Sommergruber, K., Hox, V., Knol, E. F., Lauferma, A., Matricardi, P. M., Mortz, C. G., Ollert, M., Palomares, O., Riggioni, C., Schwarze, J., Skypala, I., Untersmayr, E., Walusiak-Skorupa, J., Ansotegui, I. J., Bachert, C., Bedbrook, A., Bosnic-Anticevich, S., Brussino, L., Canonica, G. W., Cardona, V., Carreiro-Martins, P., Cruz, A. A., Czarlewski, W., Fonseca, J. A., Gotua, M., Haahtela, T., Ivancevich, J. C., Kuna, P., Kvedariene, V., Larenas-Linnemann, D. E., Latiff, A. H. A., Makela, M., Morais-Almeida, M., Mullol, J., Naclerio, R., Ohta, K., Okamoto, Y., Onorato, G. L., Papadopoulos, N. G., Patella, V., Regateiro, F. S., Samolinski, B., Suppli Ulrik, C., Toppila-Salmi, S., Valiulis, A., Ventura, M. T., Yorgancioglu, A., Zuberbier, T., & Agache, I. (2021). COVID-19 pandemic: Practical considerations on the organization of an allergy clinic-An EAACI/ARIA Position Paper. *Allergy*, 76(3), 648-676. doi:10.1111/all.14453
15. Pittig, A., Heinig, I., Goerigk, S., Thiel, F., Hummel, K., Scholl, L., Deckert, J., Pauli, P., Domschke, K., Lueken, U., Fydrich, T., Fehm, L., Plag, J., Strohle, A., Kircher, T., Straube, B., Rief, W., Koelkebeck, K., Arolt, V., Dannlowski, U., Margraf, J., Totzeck, C., Schneider, S., Neudeck, P., Craske, M. G., Hollandt, M., Richter, J., Hamm, A., & Wittchen, H. U. Efficacy of temporally intensified exposure for anxiety disorders: A multicenter randomized clinical trial. *Depression and Anxiety*. doi:10.1002/da.23204
16. Sarter, L., Heider, J., Kirchner, L., Schenkel, S., Witthoft, M., **Rief**, W. & Kleinstauber, M. (2021). Cognitive and emotional variables predicting treatment outcome of cognitive behavior therapies for patients with medically unexplained symptoms: A meta-analysis. *Journal of Psychosomatic Research*, 146. doi:10.1016/j.jpsychores.2021.110486
17. Schiele, M. A., Reif, A., Lin, J. X., Alpers, G. W., Andersson, E., Andersson, G., Arolt, V., Bergstrom, J., Carlbring, P., Eley, T. C., Esquivel, G., Furmark, T., Gerlach, A. L., Hamm, A., Helbig-Lang, S., Hudson, J. L., Lang, T., Lester, K. J., Lindefors, N., Lonsdorf, T. B., Pauli, P., Richter, J., **Rief**, W., Roberts, S., Ruck, C., Schruers, K. R. J., Thiel, C., Wittchen, H. U., Domschke, K., Weber, H. & Lueken, U. (2021). Therapygenetic effects of 5-HTTLPR on cognitive-behavioral therapy in anxiety disorders: A meta-analysis. *European Neuropsychopharmacology*, 44, 105-120. doi:10.1016/j.euroneuro.2021.01.004
18. Senger, K., Schroder, A., Kleinstauber, M., Rubel, J. A., Rief, W. & Heider, J. Predicting optimal treatment outcomes using the Personalized Advantage Index for patients with persistent somatic symptoms. *Psychotherapy Research*. doi:10.1080/10503307.2021.1916120
19. Vogel, A., Comtesse, H., Nocon, A., Kersting, A., Rief, W., Steil, R., & Rosner, R. (2021). Feasibility of Present-Centered Therapy for Prolonged Grief Disorder: Results of a Pilot Study. *Frontiers in Psychiatry*, 12. doi:10.3389/fpsyg.2021.534664
20. * Akroyd, A., Gunn, K. N., Rankin, S., Douglas, M., Kleinstauber, M., **Rief**, W., et al. (2020). Optimizing patient expectations to improve therapeutic response to medical treatment: A randomized controlled trial of iron infusion therapy. *British Journal of Health Psychology*, 25(3), 639-651.
21. Comtesse, H., Vogel, A., Kersting, A., **Rief**, W., Steil, R., & Rosner, R. (2020). When does grief become pathological? Evaluation of the ICD-11 diagnostic proposal for prolonged grief in a treatment-seeking sample. *European Journal of Psychotraumatology*, 11(1). doi: 10.1080/20008198.2019.16943481.

22. * Dorn, L. M. L., **Rief**, W., & Mehl, S. (2020). Can theory of mind be improved? Positive expectations cause better theory of mind performance in a community sample. *Journal of Behavior Therapy and Experimental Psychiatry*, 69. doi: 10.1016/j.jbtep.2020.101577
23. Euteneuer, F., Schafer, S. J., Neubert, M., **Rief**, W., & Sussenbach, P. (2021). Subjective Social Status and Health-Related Quality of Life-A Cross-Lagged Panel Analysis. *Health Psychology*, 40(1), 71-76. doi:10.1037/he0001051
24. ** Evers, A. W. M., Colloca, L., Bleasie, C., Gaab, J., Jensen, K. B., Atlas, L. Y., . . . Consortium Placebo, Experts. (2020). What Should Clinicians Tell Patients about Placebo and Nocebo Effects? Practical Considerations Based on Expert Consensus. *Psychotherapy and Psychosomatics*, 90(1), 49-56. doi:10.1159/000510738. IF 13.9
25. Gerke, L., Meyrose, A. K., Ladwig, I., **Rief**, W., & Nestoriuc, Y. (2020). Frequencies and Predictors of Negative Effects in Routine Inpatient and Outpatient Psychotherapy: Two Observational Studies. *Frontiers in Psychology*, 11. doi: 10.3389/fpsyg.2020.02144
26. * Haas, J. W., **Rief**, W., Glombiewski, J. A., Winkler, A., & Doering, B. K. (2020). Expectation-induced placebo effect on acute sadness in women with major depression: An experimental investigation. *Journal of Affective Disorders*, 274, 920-928.
27. * Haas, J. W., Rief, W., & Doering, B. K. Open-Label Placebo Treatment: Outcome Expectations and General Acceptance in the Lay Population. *International Journal of Behavioral Medicine*. doi:10.1007/s12529-020-09933-1
28. * Herzog, P., Voderholzer, U., Gartner, T., Osen, B., Svitak, M., Doerr, R., **Rief**, W. et al. (2020). Predictors of outcome during inpatient psychotherapy for posttraumatic stress disorder: a single-treatment, multi-site, practice-based study. *Psychotherapy Research*.
29. * Herzog, P., Feldmann, M., Voderholzer, U., Gartner, T., Armburst, M., Rauh, E., Doerr, R., **Rief**, W., & Brakemeier, E. L. (2020). Drawing the borderline: Predicting treatment outcomes in patients with borderline personality disorder. *Behaviour Research and Therapy*, 133. doi: 10.1016/j.brat.2020.103692
30. ** Kube, T., Rozenkrantz, L., **Rief**, W., & Barsky, A. (2020). Understanding persistent physical symptoms: Conceptual integration of psychological expectation models and predictive processing accounts. [Review]. *Clinical Psychology Review*, 76, 1-12. IF 9.9
31. ** Kube, T., Schwarting, R., Rozenkrantz, L., Glombiewski, J. A., & **Rief**, W. (2020). Distorted Cognitive Processes in Major Depression: A Predictive Processing Perspective. *Biological Psychiatry*, 87(5), 388-398. doi: 10.1016/j.biopsych.2019.07.017. IF 11.5.
32. * Kube, T., **Rief**, W., Vivell, M. B., Schafer, N. L., Vermillion, T., Korfer, K., & Glombiewski, J. A. (2020). Deceptive and Nondeceptive Placebos to Reduce Pain. An Experimental Study in Healthy Individuals. *Clinical Journal of Pain*, 36(2), 68-79. doi: 10.1097/ajp.0000000000000781
33. * Rebstock L, Schäfer LN, Kube T, Ehmke V, **Rief** W. (2020). Placebo prevents rumination: An experimental study. *Journal of Affective Disorders*. 274:1152-60.
34. * Riecke, J., **Rief**, W., Vlaeyen, J. W. S., & Glombiewski, J. A. (2020). Generalizability of harm and pain expectations after exposure in chronic low back pain patients. *European Journal of Pain*, 24(8), 1495-1504. doi: 10.1002/ejp.1604
35. ** Salzmann, S., Euteneuer, F., Laferton, J. A. C., Sheddien-Mora, M. C., Schedlowski, M., Moosdorf, R., & Rief, W. (2021). IL-8 and CRP moderate the effects of preoperative psychological interventions on postoperative long-term outcomes 6 months after CABG surgery - The randomized controlled PSY-HEART trial. *Brain Behavior and Immunity*, 91, 202-211. doi:10.1016/j.bbi.2020.09.028
36. * Schemer, L., **Rief**, W., & Glombiewski, J. A. (2020). Treatment Expectations Towards Different Pain Management Approaches: Two Perspectives. *Journal of Pain Research*, 13, 1725-1736. doi: 10.2147/jpr.S247177.
37. * Seifart, C., Knorrenchild, J. R., Hofmann, M., Nestoriuc, Y., **Rief**, W., & von Blanckenburg, P. (2020). Let us talk about death: gender effects in cancer patients' preferences for end-of-life discussions. *Supportive Care in Cancer*, 28(10), 4667-4675. doi: 10.1007/s00520-019-05275-1

38. Seifart, C., Koch, M., Leppin, N., Nagelschmidt, K., Knorrenschild, J. R., Timmesfeld, N., **Rief**, W., & von Blanckenburg, P. (2020). Collaborative advance care planning in advanced cancer patients: col-ACP -study - study protocol of a randomised controlled trial. *Bmc Palliative Care*, 19(1). doi: 10.1186/s12904-020-00629-7
39. * von Blanckenburg, P., Hofmann, M., **Rief**, W., Seifart, U., & Seifart, C. (2020). Assessing patients' preferences for breaking Bad News according to the SPIKES -Protocol: the MABBAN scale. *Patient Education and Counseling*, 103(8), 1623-1629. doi: 10.1016/j.pec.2020.02.036
40. ** von Blanckenburg, P., Leppin, N., Nagelschmidt, K., Seifart, C., & **Rief**, W. (2020). Matters of Life and Death: An Experimental Study Investigating Psychological Interventions to Encourage the Readiness for End-of-Life Conversations. *Psychotherapy and Psychosomatics*. doi:10.1159/000511199. IF 13.9
41. Zhou, Y., Xu, J., & **Rief**, W. (2020). Are comparisons of mental disorders between Chinese and German students possible? An examination of measurement invariance for the PHQ-15, PHQ-9 and GAD-7. *Bmc Psychiatry*, 20(1). doi: 10.1186/s12888-020-02859-8
42. * Zhou, Y., Xu, J., & **Rief**, W. (2020). Are comparisons of mental disorders between Chinese and German students possible? An examination of measurement invariance for the PHQ-15, PHQ-9 and GAD-7. *BMC psychiatry*, 20(1). doi:10.1186/s12888-020-02859-8
43. **Rief**, W. & Joormann, J. (2019). Revisiting the Cognitive Model of Depression: The Role of Expectations. *Clinical Psychology in Europe* 1: e32605.
44. ** **Rief**, W., Korwisi, B., Nicholas, M., Vlaeyen, J. W. S., Smith, B. H., First, M. B., Kosek, E., Barke, A., & Treede, R. D. (2019). Chronic primary pain: a pain-centered view of the world is too narrow Reply. *Pain*, 160(7), 1683-1685. doi: 10.1097/j.pain.0000000000001564 (IF 6.0).
45. ** Aziz Q, Giamberardino MA, Barke A, Korwisi B, Baranowski A, Wesselmann U, **Rief** W, Treede RD & The IASP TF Classification of Chronic Pain. The IASP classification of chronic pain for ICD-11: Chronic visceral pain. *PAIN* 2019; 160 (1); xx-xx. DOI: 10.1097/j.pain.0000000000001362. (IF 6.0).
46. Barke A, Korwisi B, Casser HR, Fors EA, Geber C, Schug SA, Stubhaug A, Ushida T, Wetterling T, **Rief** W, Treede RD. Pilot field testing of the chronic pain classification for ICD-11: the results of ecological coding. *BMC Public Health* 2018; 180: 1239. DOI: 10.1186/s12889-018-6135-9.
47. ** Bennett MI, Kaasa S, Barke A, Korwisi B, **Rief** W, Treede RD & The IASP TF Classification of Chronic Pain. The IASP classification of chronic pain for ICD-11: Chronic cancer-related pain. *PAIN* 2019; 160 (1); 38-44. DOI: 10.1097/j.pain.0000000000001363. (IF 6.0).
48. ** Benoliel R, Evers S, Svensson P, Wang SJ, Barke A, Korwisi B, **Rief** W, Treede RD & The IASP TF Classification of Chronic Pain. The IASP classification of chronic pain: Chronic secondary headache or orofacial pain. *PAIN* 2019; 160(1); 60-68. (IF 6.0).
49. * Berking, M., Eichler, E., Luhmann, M., Diedrich, A., Hiller, W., & **Rief**, W. (2019). Affect regulation training reduces symptom severity in depression - A randomized controlled trial. *Plos One*, 14(8). doi: 10.1371/journal.pone.0220436
50. * Dannehl, K., **Rief**, W. & Euteneuer, F. (2019). Effects of cognitive behavioural therapy on verbal learning and memory in major depression: Results of a randomized controlled trial. *Clinical Psychology & Psychotherapy*, 26(3), 291-297. doi: 10.1002/cpp.2350
51. * Glombiewski, J.A., **Rief**, W., Rebstock, L., Rheker, J. & Wittkowski, J. (2019). Placebo mechanisms in depression: an experimental investigation of the impact of expectations on sadness in female participants. *Journal of Affective Disorder*.
52. Haberkamp, A., **Rief**, W., Biafora, M., Schmidt, T., & Schmidt, F. (2019). The Influence of Ambiguous Stimuli on Interpretation and Perception in Spider Phobia. *Perception*, 48, 150-150.

53. * Herzog, P., Lauff, S., **Rief**, W., & Brakemeier, E. L. (2019). Assessing the unwanted: A systematic review of instruments used to assess negative effects of psychotherapy. *Brain and Behavior*, 9(12). doi: 10.1002/bbrb3.1447
54. * Kleinstäuber, M., Gottschalk, J.-M., Ruckmann, J., Probst, T. & **Rief**, W. (2019). Acceptance and Cognitive Reappraisal as Regulation Strategies for Symptom Annoyance in Individuals with Medically Unexplained Physical Symptoms. *Cognitive Therapy and Research* 43:570–584
55. ** Kleinstäuber, M., Allwang, C., Bailer, J., Berking, M., Brunahl, C., Erkic, M., Gitzen, H., Gollwitzer, M., Gottschalk, J. M., Heider, J., Hermann, A., Lahmann, C., Lowe, B., Martin, A., Rau, J., Schroder, A., Schwabe, J., Schwarz, J., Stark, R., Weiss, F. D., & **Rief**, W. (2019). Cognitive Behaviour Therapy Complemented with Emotion Regulation Training for Patients with Persistent Physical Symptoms: A Randomised Clinical Trial. *Psychotherapy and Psychosomatics*, 88(5), 287-299. doi: 10.1159/000501621 (IF 13.7)
56. ** Koch, C., Wilhelm, M., Salzmann, S., **Rief**, W., & Euteneuer, F. (2019). A meta-analysis of heart rate variability in major depression. *Psychological Medicine*, 49(12), 1948-1957. doi: 10.1017/s0033291719001351 (IF 5.6)
57. * Krause D, Kirnich VB, Stapf TM, Hennings A, Riemer S, Riedel M, Schmidmaier R, Gil FP, **Rief** W, Schwarz MJ. (2019). Values of Cytokines and Tryptophan Metabolites over a 12 Weeks Time Course in Patients with Depression and Somatoform Disorder. *Clinical Psychopharmacology and Neuroscience* 17(1):34-42.
58. * Kube, T., Kirchner, L., **Rief**, W., Gartner, T., & Glombiewski, J. A. (2019). Belief updating in depression is not related to increased sensitivity to unexpectedly negative information. [Article]. *Behaviour Research and Therapy*, 123, 10.
59. Kube, T., Meyer, J., Grieshaber, P., Moosdorf, R., Boning, A., & **Rief**, W. (2019). Patients' pre- and postoperative expectations as predictors of clinical outcomes six months after cardiac surgery. *Psychology Health & Medicine*. doi: 10.1080/13548506.2019.1659986
60. ** Kube, T., **Rief**, W., Gollwitzer, M., Gärtnner, T., & Glombiewski, J. A. (2019). Why dysfunctional expectations in depression persist—Results from two experimental studies investigating cognitive immunization. *Psychological Medicine*, 49(49), 1532-1544.(IF 5.6)
61. * Kube, T., Glombiewski, J. A., Gall, J., Toussaint, L., Gartner, T., & **Rief**, W. (2019). How to modify persisting negative expectations in major depression? An experimental study comparing three strategies to inhibit cognitive immunization against novel positive experiences. *Journal of Affective Disorders*, 250, 231-240. doi: 10.1016/j.jad.2019.03.027
62. * Leppin, N., Nagelschmidt, K., Koch, M., Riera-Knorrenzchild, J., Seifart, C., **Rief**, W., Barke, A., & von Blanckenburg, P. Cancer patient utilisation of psychological care in Germany: The role of attitudes towards seeking help. *European Journal of Cancer Care*. doi: 10.1111/ecc.13165
63. * Moritz, S., Nestoriuc, Y., **Rief**, W., Klein, J. P., Jelinek, L., & Peth, J. (2019). It can't hurt, right? Adverse effects of psychotherapy in patients with depression. *European Archives of Psychiatry and Clinical Neuroscience*, 269(5), 577-586. doi: 10.1007/s00406-018-0931-1
64. ** Nicholas M, Vlaeyen JWS, **Rief** W, Barke A, Aziz Q, Benoliel R, Cohen M., Evers S, Giamberardino MA, Goebel A, Korwisi B, Perrot S, Svensson P, Wang SJ, Treede RD. The IASP classification of chronic pain: Chronic primary pain. *PAIN* 2019; 160 (1); 28-37. DOI: 10.1097/j.pain.0000000000001390. (IF 6.0).
65. Nittel, C. M., Lamster, F., **Rief**, W., Kircher, T., Soll, D., & Mehl, S. (2019). Emotional instability and expressive suppression are related to paranoia in daily life: An electronic mobile assessment study in nonclinical individuals. *Journal of Experimental Psychopathology*, 10(3). doi: 10.1177/2043808719868119
66. ** Nugraha B, Gutenbrunner C, Barke A, Karst M, Korwisi B, Schiller J, **Rief** W, Treede RD & The IASP TF Classification of Chronic Pain. The IASP classification of chronic pain: Functioning properties of chronic pain. *PAIN* 2019; 160(1); 88-94. (IF 6.0).
67. ** Perrot S, Cohen M, Barke A, Korwisi B, **Rief** W, Treede RD & The IASP TF Classification of Chronic Pain. The IASP classification of chronic pain: Chronic secondary musculoskeletal pain. *PAIN* 2019; 160 (1); 77-82. DOI: 10.1097/j.pain.0000000000001389.

Latest Impact Factors acc. to 2017; * 2.0 < IF < 5.0; ** IF >= 5.0

- (IF 6.0).
68. ** Petrie, K.J. & Rief, W. (2019). Psychobiological mechanisms of placebo and nocebo effects: Pathways to improve treatments and reduce side effects. *Annual Review of Psychology*, 70, 12.1–12.27. IF 20.
 69. ** Rayner, C., Coleman, J. R. I., Purves, K. L., Hodsol, J., Goldsmith, K., Alpers, G. W., Andersson, E., Arolt, V., Boberg, J., Bogels, S., Creswell, C., Cooper, P., Curtis, C., Deckert, J., Domschke, K., El Alaoui, S., Fehm, L., Fydrich, T., Gerlach, A. L., Grochowski, A., Hahlweg, K., Hamm, A., Hedman, E., Heiervang, E. R., Hudson, J. L., Johren, P., Keers, R., Kircher, T., Lang, T., Lavebratt, C., Lee, S. H., Lester, K. J., Lindefors, N., Margraf, J., Nauta, M., Pane-Farre, C. A., Pauli, P., Rapee, R. M., Reif, A., Rief, W., Roberts, S., Schalling, M., Schneider, S., Silverman, W. K., Strohle, A., Teismann, T., Thastum, M., Wannemuehler, A., Weber, H., Wittchen, H. U., Wolf, C., Ruck, C., Breen, G., & Eley, T. C. (2019). A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. *Translational Psychiatry*, 9. doi: 10.1038/s41398-019-0481-y (IF 5.2).
 70. ** Scholz J, Finnerup NB, Attal N, Aziz Q, Baron R, Bennett MI, Benoliel R, Cohen M, Crucu G, Davis KD, Evers S, First M, Giamberardino MA, Hansson P, Kaasa S, Korwisi B, Kosek E, Lavand'homme P, Nicholas M, Nurmi T, Perrot S, Raja SN, Rice ASC, Rowbotham MC, Schug SA, Simpson DM, Smith BH, Svensson P, Vlaeyen JWS, Wang SJ, Barke A, Rief W, Treede RD & Classification Committee of the Neuropathic Pain Special Interest Group (NeuPSIG). The IASP classification of chronic pain for ICD-11: Chronic neuropathic pain. *PAIN* 2019; 160 (1); 53-59. DOI: 10.1097/j.pain.0000000000001365. (IF 6.0).
 71. ** Schug S, Lavand'homme P, Barke A, Korwisi B, Rief W, Treede RD & The IASP TF Classification of Chronic Pain. The IASP classification of chronic pain: Chronic postsurgical or posttraumatic pain. *PAIN* 2019; 160(1): 45-52. DOI: 10.1097/j.pain.0000000000001413. (IF 6.0).
 72. ** Smith BH, Fors EA, Korwisi B, Barke A, Cameron P, Colvin L, Richardson C, Rief W, Treede RD & The IASP TF Classification of Chronic Pain. The IASP Classification of Chronic Pain for ICD-11: Applicability in Primary Care. *PAIN* 2019; 160 (1); 83-87. DOI: 10.1097/j.pain.0000000000001360. (IF 6.0).
 73. ** Treede RD, Rief W, Barke A, Aziz Q, Bennett MI, Benoliel R, Cohen M, Evers S, Finnerup NB, First MB, Giamberardino MA, Kaasa S, Korwisi B, Kosek E, Lavand'homme P, Nicholas M, Perrot S, Scholz J, Schug SA, Smith BH, Svensson P, Vlaeyen JWS, Wang SJ. Chronic Pain as a symptom or a disease: The IASP Classification of Chronic Pain for the International Classification of Diseases ICD-11. *PAIN* 2019; 160 (1); 19-27. DOI: 10.1097/j.pain.0000000000001384. (IF 6.0).
 74. Treede, R. D., Rief, W., Korwisi, B., Aziz, Q., Giamberardino, M. A., & Barke, A. (2019). Vulvodynia: a neglected chronic pain diagnosis Reply. *Pain*, 160(7), 1681-1683. doi: 10.1097/j.pain.0000000000001558 (IF 6.0).
 75. * von Siemens, S. M., Jorres, R. A., Behr, J., Alter, P., Lutter, J., Lucke, T., Sohler, S., Welte, T., Watz, H., Vogelmeier, C. F., Trudzinski, F., Rief, W., Herbig, B., Kahnert, K., & Cosyconet Study Grp. (2019). Effect of COPD severity and comorbidities on the result of the PHQ-9 tool for the diagnosis of depression: results from the COSYCONET cohort study. *Respiratory Research*, 20. doi: 10.1186/s12931-019-0997-y.
 76. * Zhou, Y., Lemmer, G., Xu, J., & Rief, W. (2019). Cross-Cultural Measurement Invariance of Scales Assessing Stigma and Attitude to Seeking Professional Psychological Help. *Frontiers in Psychology*, 10. doi: 10.3389/fpsyg.2019.01249
 77. ** Rief, W., Bleichhardt, G., Dannehl, K., Euteneuer, F., & Wambach, K. (2018). Comparing the efficacy of CBASP with two versions of CBT for depression in a routine care center: A randomized clinical trial. *Psychotherapy and Psychosomatics* 87, 164-178. (IF 8.9)
 78. ** Rief, W. & Hofmann, S.G. (2018). Some problems with non-inferiority tests in psychotherapy research: psychodynamic therapies as an example. *Psychological*

Latest Impact Factors acc. to 2017; * 2.0 < IF < 5.0; ** IF >= 5.0

- Medicine 48, 1392–1394.(IF 5.2)
79. * Glombiewski, J.A., Jeroen, J., Vlaeyen, J., Riecke, J., Holzapfel, S. & **Rief**, W. (2018). Exposure and CBT for chronic back pain: an RCT on differential efficacy and optimal length of treatment. *Journal of Consulting and Clinical Psychology*, 86, 533-545.
80. * Henningsen, P., Gundel, H., Kop, W. J., Lowe, B., Martin, A., **Rief**, W., Rosmalen, J. G. M., Schroder, A., van der Feltz-Cornelis, C., Van den Bergh, O., & Grp, Euronet-Soma. (2018). Persistent Physical Symptoms as Perceptual Dysregulation: A Neuropsychobehavioral Model and Its Clinical Implications. *Psychosomatic Medicine*, 80(5), 422-431. doi: 10.1097/psy.0000000000000588
81. * Kube, T., Siebers, V. H. A., Herzog, P., Glombiewski, J. A., Doering, B. K., & **Rief**, W. (2018). Integrating situation-specific dysfunctional expectations and dispositional optimism into the cognitive model of depression - A path-analytic approach. *Journal of Affective Disorders*, 229, 199-205. doi: 0.1016/j.jad.2017.12.082
82. * Kube, T., Glombiewski, J. A., & **Rief**, W. (2018). Using Different Expectation Mechanisms to Optimize Treatment of Patients With Medical Conditions: A Systematic Review. *Psychosomatic Medicine*, 80(6), 535-543. doi: 10.1097/psy.0000000000000596
83. * Kube, T., Glombiewski, J. A., & **Rief**, W. (2018). Situational expectations mediate the effect of global beliefs on depressive symptoms: a 1-year prospective study using a student sample. *Current Opinion in Psychiatry*, 31(5), 409-416. doi: 10.1097/ycp.0000000000000443
84. * Kube, T., **Rief**, W., Gollwitzer, M., Glombiewski, J.A.(2018). Introducing an Experimental Paradigm to investigate Expectation Change (EXPEC). *Journal of Behavior Therapy and Experimental Psychiatry* 59, 92-99.
85. * Nittel, C. M., Lincoln, T. M., Lamster, F., Leube, D., **Rief**, W., Kircher, T., & Mehl, S. (2018). Expressive suppression is associated with state paranoia in psychosis: An experience sampling study on the association between adaptive and maladaptive emotion regulation strategies and paranoia. *British Journal of Clinical Psychology*, 57(3), 291-312. doi: 10.1111/bjc.12174
86. * Pan, Y., Heisig, R. S.; von Blanckenburg, P., Albert, U.-S., Hadji, P., **Rief**, W. & Nestoriuc, Y. (2018). Facilitating adherence to endocrine therapy in breast cancer: Stability and predictive power of treatment expectations in a 2-year prospective study. *Breast Cancer Research & Treatment* 168, 667-677.
87. * Rheker, J., **Rief**, W., Doering, B. K., & Winkler, A. (2018). Assessment of Adverse Events in Clinical Drug Trials: Identifying Amitriptyline's Placebo-and Baseline-Controlled Side Effects. *Experimental and Clinical Psychopharmacology*, 26(3), 320-326. doi: 10.1037/pha0000194
88. * Salzmann, S., Euteneuer, F., Strahler, J., Laferton, J.A.C., Nater, U. & **Rief**, W. (2018). Optimizing expectations and distraction leads to lower cortisol levels after acute stress. *Psychoneuroendocrinology* 88, 144-152.
89. * Schemer, L., Vlaeyen, J. W. S., Doerr, J. M., Skoluda, N., Nater, U. M., **Rief**, W., & Glombiewski, J. A. (2018). Treatment processes during exposure and cognitive-behavioral therapy for chronic back pain: A single-case experimental design with multiple baselines. *Behaviour Research and Therapy*, 108, 58-67. doi: 10.1016/j.brat.2018.07.002

90. * Wilhelm, M., **Rief**, W.& Doering, B.K.(2018). Decreasing the Burden of Side Effects Through Positive Message Framing: an Experimental Proof-of-Concept Study. *International Journal of Behavioral Medicine*, 25, 381-389.
91. Wilhelm, M., **Rief**, W., & Doering, B. K. (2018). It's all a matter of necessity and concern: A structural equation model of adherence to antihypertensive medication. *Patient Education and Counseling*, 101(3), 497-503. doi: 10.1016/j.pec.2017.09.007
92. ** **Rief**, W. (2017). Neurofeedback in adults with attention-deficit hyperactivity disorder. *Lancet Psychiatry*, 4(9), 650-651. doi: 10.1016/s2215-0366(17)30314-0. IF 11.6.
93. ** **Rief**, W., Sheddien Mora, M., Laferton, J., Auer, C., Petrie, K.J., Salzmann, S., Schedlowski, M.& Moosdorf, R.(2017). Preoperative optimization of patient expectations improves long-term outcome in heart surgery patients: Results of the randomized controlled PSY-HEART trial. *BMC Medicine*, 15:4. IF 8.0.
94. * **Rief**, W., Burton, C., Frostholm, L., Henningsen, P., Kleinstäuber, M., Kop, W.J., Löwe, B., Martin, A., Malt, U., Rosmalen, J., Schröder, A., Sheddien-Mora, M., Toussaint, A., van der Feltz-Cornelis, C. on behalf of the EURONET-SOMA Group (2017). Core outcome domains for clinical trials on somatic symptom disorder, bodily distress disorder and functional somatic syndromes: EURONET-SOMA recommendations. *Psychosomatic Medicine* 79, 1008-1015.
95. ** **Rief**, W., & Glombiewski, J. A. (2017). The role of expectations in mental disorders and their treatment. *World Psychiatry*, 16(2), 210-211. doi: 10.1002/wps.20427 (IF 20).
96. * Arlt, A. D., Nestoriuc, Y., & **Rief**, W. (2017). Why current drug adherence programs fail: addressing psychological risk factors of nonadherence. *Current Opinion in Psychiatry*, 30(5), 326-333. doi: 10.1097/yco.0000000000000345
97. * Auer, C. J., Laferton, J. A. C., Sheddien-Mora, M. C., Salzmann, S., Moosdorf, R., & **Rief**, W. (2017). Optimizing preoperative expectations leads to a shorter length of hospital stay in CABG patients: Further results of the randomized controlled PSYHEART trial. *Journal of Psychosomatic Research*, 97, 82-89. doi: 10.1016/j.jpsychores.2017.04.008
98. * Dannehl, K., **Rief**, W., & Euteneuer, F. (2017). Childhood adversity and cognitive functioning in patients with major depression. *Child Abuse & Neglect*, 70, 247-254. doi: 10.1016/j.chab.2017.06.013
99. * D'Astolfo, L., & **Rief**, W. (2017). Learning about Expectation Violation from Prediction Error Paradigms - A Meta-Analysis on Brain Processes Following a Prediction Error. *Frontiers in Psychology*, 8. doi: 10.3389/fpsyg.2017.01253
- 100.* Domschke, K., Ziegler, C., Richter, J., Mahr, M., Gajewska, A., Lang, T., Pauli, P., **Rief**, W., Kircher, T., Arolt, V., Hamm, A. O., & Deckert, J. (2017). From candidate gene to (epi)genome-wide analysis of therapy response in adult anxiety disorders. *European Neuropsychopharmacology*, 27, S534-S535.
- 101.* Eilenberg, T., Fink, P., Ornbol, E., Jensen, J. S., **Rief**, W., Hoffmann, D., & Frostholm, L. (2017). Acceptance and Commitment Group Therapy for severe health anxiety: Efficacy and intervening variables. Result from a randomized controlled trial. *Journal of Psychosomatic Research*, 97, 147-147. doi: 10.1016/j.jpsychores.2017.03.234
- 102.** Euteneuer, F., Dannehl, K., del Rey, A., Engler, H., Schedlowski, M., & **Rief**, W. (2017). Immunological effects of behavioral activation with exercise in major depression: an exploratory randomized controlled trial. *Translational Psychiatry*, 7. doi: 10.1038/tp.2017.76 IF 5.5.
- 103.* Euteneuer, F., Dannehl, K., del Rey, A., Engler, H., Schedlowski, M., & **Rief**, W. (2017). Peripheral Immune Alterations in Major Depression: The Role of Subtypes and Pathogenetic Characteristics. *Frontiers in Psychiatry*, 8. doi: 10.3389/fpsyg.2017.00250
- 104.Graef, J. E., **Rief**, W., Nestoriuc, Y., & Weise, C. (2017). The More Vivid the Imagination the Better: The Role of the Vividness of Imagination in Vasoconstriction Training and Vasodilatation Training. *Applied Psychophysiology and Biofeedback*, 42(4), 283-298. doi: 10.1007/s10484-017-9373-1

- 105.* Heinig, I., Pittig, A., Richter, J., Hummel, K., Alt, I., Dickhover, K., Gamer, J., Hollandt, M., Koelkebeck, K., Maenz, A., Tennie, S., Totzeck, C., Yang, Y. B., Arolt, V., Deckert, J., Domschke, K., Fydrich, T., Hamm, A., Hoyer, J., Kircher, T., Lueken, U., Margraf, J., Neudeck, P., Pauli, P., **Rief**, W., Schneider, S., Straube, B., Strohle, A., & Wittchen, H. U. (2017). Optimizing exposure-based CBT for anxiety disorders via enhanced extinction: Design and methods of a multicentre randomized clinical trial. *International Journal of Methods in Psychiatric Research*, 26(2). doi: 10.1002/mpr.1560
- 106.* Isaac, M., & **Rief**, W. (2017). Behavioural interventions for life style diseases: where are we now? *Current Opinion in Psychiatry*, 30(5), 323-325. doi: 10.1097/yo.0000000000000353
- 107.Keil, D. C., Vaske, I., Kenn, K., **Rief**, W., & Stenzel, N. M. (2017). With the strength to carry on: The role of sense of coherence and resilience for anxiety, depression and disability in chronic obstructive pulmonary disease. *Chronic Respiratory Disease*, 14(1), 11-21. doi: 10.1177/1479972316654286
- 108.** Kube T.& **Rief** W. (2017). Are placebo and drug-specific effects additive? Questioning basic assumptions of double-blinded randomized clinical trials and presenting novel study designs. *Drug Discovery Today*, 22(4), 729-735. doi: 10.1016/j.drudis.2016.11.022. IF 5.6
- 109.* Kube, T., D'Astolfo, L., Glombiewski, J. A., Doering, B. K., & **Rief**, W. (2017). Focusing on situation-specific expectations in major depression as basis for behavioural experiments - Development of the Depressive Expectations Scale. *Psychology and Psychotherapy-Theory Research and Practice*, 90(3), 336-352. doi: 10.1111/papt.12114
- 110.* Kube, T., **Rief**, W., & Glombiewski, J. A. (2017). On the Maintenance of Expectations in Major Depression - Investigating a Neglected Phenomenon. *Frontiers in Psychology*, 8. doi: 10.3389/fpsyg.2017.00009
- 111.* Laferton, J. A. C., Stenzel, N. M., **Rief**, W., Klaus, K., Brahler, E., & Mewes, R. (2017). Screening for DSM-5 Somatic Symptom Disorder: Diagnostic Accuracy of Self-Report Measures Within a Population Sample. *Psychosomatic Medicine*, 79(9), 974-981. doi: 10.1097/psy.0000000000000530
- 112.* Lamster, F., Nittel, C., **Rief**, W., Mehl, S., & Lincoln, T. (2017). The impact of loneliness on paranoia: An experimental approach. *Journal of Behavior Therapy and Experimental Psychiatry*, 54, 51-57. doi: 10.1016/j.jbtep.2016.06.005
- 113.* Lamster, F., Lincoln, T. M., Nittel, C. M., **Rief**, W., & Mehl, S. (2017). The lonely road to paranoia. A path-analytic investigation of loneliness and paranoia. *Comprehensive Psychiatry*, 74, 35-43. doi: 10.1016/j.comppsych.2016.12.007
- 114.Pieritz, K., Schäfer, S.J., Strahler, J., **Rief**, W. & Euteneuer, F. (2017). Chronic stress moderates the impact of social exclusion on pain tolerance: an experimental investigation. *Journal of Pain Research* 10, 1155–1162.
- 115.* Rheker, J., Winkler, A., Doering, B. & **Rief**, W.(2017). Learning to experience side effects after antidepressant intake – Results from a randomized, controlled, double-blind study. *Psychopharmacology*, 234, 329-338.
- 116.* Rheker, J., Beisel, S., Kräling, S. & **Rief**, W. (2017). Rate and predictors of negative effects of psychotherapy in psychiatric and psychosomatic inpatients. *Psychiatry Research*, 254, 143-150.
- 117.* Salzmann, S., Euteneuer, F., Laferton, J. A. C., Auer, C. J., Shedd-Mora, M. C., Schedlowski, M., Moosdorf, R., & **Rief**, W. (2017). Effects of Preoperative Psychological Interventions on Catecholamine and Cortisol Levels After Surgery in Coronary Artery Bypass Graft Patients: The Randomized Controlled PSY-HEART Trial. *Psychosomatic Medicine*, 79(7), 806-814. doi: 10.1097/psy.0000000000000483
- 118.* Schmidt, M., Reh, V., Hirsch, O., **Rief**, W., & Christiansen, H. (2017). Assessment of ADHD Symptoms and the Issue of Cultural Variation: Are Conners 3 Rating Scales Applicable to Children and Parents With Migration Background? *Journal of Attention Disorders*, 21(7), 587-599. doi: 10.1177/1087054713493319

- 119.** Schumacher, S., **Rief**, W., Klaus, K., Brahler, E., & Mewes, R. (2017). Medium- and long-term prognostic validity of competing classification proposals for the former somatoform disorders. *Psychological Medicine*, 47(10), 1719-1732. doi: 10.1017/s0033291717000149. IF 5.2.
- 120.* Schwarz, J., **Rief**, W., Radkovski, A., Berking, M. & Kleinstäuber, M. (2017). Negative affect as mediator between emotion regulation and medically unexplained symptoms. *Journal of Psychosomatic Research* 101, 114-121.
- 121.* Sheddien-Mora, M., Heisig, S., Von Blanckenburg, P., Witzel, I., **Rief**, W., Albert, U. S., & Nestoriuc, Y. (2017). Optimizing expectations to prevent side effects of adjuvant endocrine treatment in breast cancer: A randomized controlled trial. *Journal of Psychosomatic Research*, 97, 167-168. doi: 10.1016/j.jpsychores.2017.03.286
- 122.* Sielski, R., **Rief**, W., & Glombiewski, J. A. (2017). Efficacy of Biofeedback in Chronic back Pain: a Meta-Analysis. *International Journal of Behavioral Medicine*, 24(1), 25-41. doi: 10.1007/s12529-016-9572-9
123. Sielski, R., Glombiewski, J. A., **Rief**, W., Crombez, G., & Barke, A. (2017). Cross-cultural adaptation of the German Pain Solutions Questionnaire: an instrument to measure assimilative and accommodative coping in response to chronic pain. *Journal of Pain Research*, 10, 1437-1446. doi: 10.2147/jpr.s130016.
124. Vaske, I., Kenn, K., Keil, D. C., **Rief**, W., & Stenzel, N. M. (2017). Illness perceptions and coping with disease in chronic obstructive pulmonary disease: Effects on health-related quality of life. *Journal of Health Psychology*, 22(12), 1570-1581. doi: 10.1177/1359105316631197
- 125.* Weiss, F. D., **Rief**, W., & Kleinstauber, M. (2017). Health care utilization in outpatients with somatoform disorders: Descriptives, interdiagnostic differences, and potential mediating factors. *General Hospital Psychiatry*, 44, 22-29. doi: 10.1016/j.genhosppsych.2016.10.003
- 126.* **Rief**, W. & Petrie, K.J. (2016). Can psychological expectation models be adapted for placebo research? *Frontiers in Psychology* 7:1876. doi: 10.3389/fpsyg.2016.01876.
- 127.** **Rief**, W., Barsky, A. J., Bingel, U., Doering, B., Schwarting, R., Wöhr, M., & Schweiger, U. (2016). Rethinking psychopharmacotherapy: The role of treatment context and brain plasticity in antidepressant and antipsychotic interventions. *Neuroscience & Biobehavioral Reviews* 60, 51-64. doi: <http://dx.doi.org/10.1016/j.neubiorev.2015.11.008>. IF 8.8.
128. **Rief**, W. & Glombiewski, J.A. (2016). Expectation-Focused Psychological Interventions (EFPI). *Verhaltenstherapie* 26, 47-54.
- 129.* Auer, C.J., Glombiewski, J.A., Doering, B.K., Winkler, A., Laferton, J.A., Broadbent, E., **Rief**, W. (2016). Patients' Expectations Predict Surgery Outcomes: A Meta-Analysis. *International Journal of Behavioral Medicine* 23 (1), 49-62.
- 130.* Barke, A., Bleichhardt, G., **Rief**, W. & Doering, B.K. (2016). The Cyberchondria Severity Scale (CSS): German validation and development of a short form. *International Journal of Behavioral Medicine* 23, 595-605.
- 131.* Doering, B.K., Wegner, A., Hadamitzky, M., Engler H., **Rief**, W. & Schedlowski, M (2016). Effects of Neurexan® in an experimental acute stress setting – an explorative double blind study in healthy volunteers. *Life Sciences* 146, 139-147. doi:10.1016/j.lfs.2015.12.058
- 132.**Eilenberg, T., Fink, P., Jensen, J.S., **Rief**, W. & Frostholt L. (2016). Acceptance and commitment group therapy (ACT-G) for health anxiety: a randomized controlled trial. *Psychological Medicine* 46, 103-105. (IF 5.9).
- 133.* Goerlach, M.G., Kohlmann, S., Sheddien Mora, M, **Rief**, W. & Westermann, S. (2016). Expressive suppression of emotions and overeating in individuals with overweight and obesity. *European Eating Disorders Review* 24 (5), 377-382.

134. Hansmeier, J., Exner, C., **Rief**, W.& Glombiewski, J.A.(2016). A test of the metacognitive model of obsessive-compulsive disorder. *Journal of Obsessive-Compulsive and Related Disorder* 10, 42-48.
- 135.* Holzapfel S, Riecke J, **Rief** W, Schneider J, Glombiewski JA. Development and Validation of the Behavioral Avoidance TestBack Pain (BAT-Back) for Patients With Chronic Low Back Pain. *Clinical Journal of Pain*. 2016;32:940-7.
136. Jeromin, F., **Rief**, W., & Barke, A. (2016). Validation of the Internet Gaming Disorder Questionnaire in a Sample of Adult German-Speaking Internet Gamers. *Cyberpsychology Behavior and Social Networking*, 19(7), 453-459. doi: 10.1089/cyber.2016.0168
- 137.** Jung, E., Wiesjahn, M., Wendt, H., Bock, T., **Rief**, W.& Lincoln, T.M.(2016). Symptoms, functioning, and coping strategies in individuals with schizophrenia spectrum disorders who do not take antipsychotic medication: a comparative interview study. *Psychological Medicine*, 46, 2179-2188. IF 5.5.
- 138.** Kosek, E., Cohen, M., Baron, R., Gebhart, G.F., Mico, J.-A., Rice, A.S.C., **Rief**, W., Sluka, A.K., 2016. Do we need a third mechanistic descriptor for chronic pain states? *Pain* 157, 1382-1386.(IF 5.6)
139. Kuenemund, A., Zwick, S., **Rief**, W.& Exner, C.(2016). (Re-)defining the self - enhanced posttraumatic growth and event centrality in acquired brain injury survivors: A control comparison study and mixed-method approach. *Journal of Health Psychology* 21, 679-689.
140. Laferton, J.A.C., Auer, C.J., Shedd Mora, M., Moosdorf, R.& **Rief**, W.(2016). Optimizing preoperative expectations in cardiac surgery patients is moderated by level of disability: the successful development of a brief psychological intervention. *Psychology, Health & Medicine* 21 (3), 272-285.
- 141.* Kleinstäuber, M., Gottschalk, J., Berking, M., Rau, J., & **Rief**, W. (2016). Enriching cognitive behavior therapy with emotion regulation training for patients with multiple medically unexplained symptoms (ENCERT): Design and implementation of a multicenter, randomized, active-controlled trial. *Contemporary Clinical Trials* 47, 54-63. doi: <http://dx.doi.org/10.1016/j.cct.2015.12.003>.
- 142.* Mewes, R., **Rief**, W., Kenn, K., Ried, J., & Stenzel, N. (2016). Psychological predictors for health-related quality of life and disability in persons with chronic obstructive pulmonary disease (COPD). *Psychology & Health*, 31(4), 470-486. doi: 10.1080/08870446.2015.1111369
- 143.** Nestoriuc, Y., von Blanckenburg, P., Schuricht, F., Barsky, A.J., Hadji, P., Albert, U.S.& **Rief**, W.(2016). Is it best to expect the worst? Influence of patients' side effect expectations on endocrine treatment outcome in a two-year prospective clinical cohort study. *Annals of Oncology* 27 (10), 1909-1915. IF 9.3
- 144.* Pieritz, K., Süßenbach, P., **Rief**, W.& Euteneuer, F.(2016). Subjective social status and cardiovascular reactivity: An experimental investigation. *Frontiers in Psychology* 7:1091.
- 145.Riecke, J., Holzapfel, S., **Rief**, W., Lachnit, H., & Glombiewski, J. A. (2016). Cross-cultural adaption of the German Quebec Back Pain Disability Scale: an exposure-

- specific measurement for back pain patients. *Journal of Pain Research*, 9, 9-15. doi: 10.2147/jpr.s92615
- 146.* Schwarz, J., Gottschalk, J.-M., Ruckmann, J., **Rief**, W.& Kleinstäuber, M.(2016). An Experimental Paradigm to Repeatedly Induce Somatic Symptoms. *Journal of Psychosomatic Research* 82, 24-30.
- 147.* Toussaint, A., Murray, A. M., Voigt, K., Herzog, A., Gierk, B., Kroenke, K., **Rief**, W., Henningsen, P.& Lowe, B. (2016). Development and Validation of the Somatic Symptom Disorder-B Criteria Scale (SSD-12). *Psychosomatic Medicine*, 78(1), 5-12. doi: 10.1097/psy.0000000000000240
148. Weck, F., Grikscheit, F., Höfling, V., Kordt, A., Hamm, A.O., Gerlach, A.L., Alpers, G.W., Arolt, V., Kircher, T., Pauli, P., **Rief**, W.& Lang, T. (2016). The role of treatment delivery factors in exposure-based cognitive behavioral therapy for panic disorder with agoraphobia. *Journal of Anxiety Disorders* 42, 10-18.
- 149.* Weiss, F.D, **Rief**, W., Martin, A., Rauh, E.& Kleinstäuber, M.(2016). The heterogeneity of illness behaviors in patients with medically unexplained physical symptoms. *International Journal of Behavioral Medicine*, 23, 319-326.
- 150.*Wiesjahn, M., Jung, E., Kremser, J. D., **Rief**, W., & Lincoln, T. M. (2016). The potential of continuum versus biogenetic beliefs in reducing stigmatization against persons with schizophrenia: An experimental study. *Journal of Behavior Therapy and Experimental Psychiatry*, 50, 231-237. doi: 10.1016/j.jbtep.2015.09.007
151. Wilhelm, M., Winkler, A., **Rief**, W., & Doering, B. K. (2016). Effect of placebo groups on blood pressure in hypertension: a meta-analysis of beta-blocker trials. *Journal of the American Society of Hypertension*, 10(12), 917-929. doi: 10.1016/j.jash.2016.10.009
- 152.* Winkler, A., Rheker, J., Doering, B.K.& **Rief**, W.(2016). Conditioning of Amitriptyline-Induced REM-Sleep Suppression in Healthy Participants: A Randomized Controlled Trial. *Psychophysiology* 53, 1560-1566.
- 153.* **Rief**, W., Glombiewski, J.A., Gollwitzer, M., Schubö, A., Schwarting, R.& Thorwart, A.(2015). Expectations as core features of mental disorders. *Current Opinion in Psychiatry* 28, 378-385.
154. Barke, A., Riecke, J., **Rief**, W., Glombiewski, J.A.(2015). The Psychological Inflexibility in Pain Scale (PIPS) - validation, factor structure and comparison to the Chronic Pain Acceptance Questionnaire (CPAQ) and other validated measures in German chronic back pain patients. *BMC Musculoskeletal Disorders* 16; doi: 10.1186/s12891-015-0641-z.
- 155.* Doering, B. K., Nestoriuc, Y., Barsky, A. J., Glaesmer, H., Brähler, E., & **Rief**, W. (2015). Is somatosensory amplification a risk factor for an increased report of side effects? Reference data from the German general population. *Journal of Psychosomatic Research*, 79(6), 492-497. doi: 10.1016/j.jpsychores.2015.10.010
- 156.** Glombiewski, J. A., Riecke, J., Holzapfel, S., **Rief**, W., Konig, S., Lachnit, H., & Seifart, U. (2015). Do patients with chronic pain show autonomic arousal when confronted with feared movements? An experimental investigation of the fear-avoidance model. *Pain*, 156(3), 447-454. (IF 5.8)

- 157.** Graef, J.E., **Rief, W.**, French, D.J., Nilges, P., Nestoriuc, Y.(2015). German Language Adaptation of the Headache Management Self-Efficacy Scale (HMSE-G) and Development of a New Short Form (HMSE-G-SF). *Headache* 55, 958-972.
- 158.* Hansmeier, J., Glombiewski, J.A., **Rief, W.**& Exner, C. (2015). Differential memory effects for encoding and retrieving disorder-relevant contents in relation to checking. *Journal of Behavior Therapy and Experimental Psychiatry* 46, 99-106.
- 159.* Heisig, S.R, Shedd-Mora, M.C., von Blanckenburg, P., Schuricht, F., **Rief, W.**, Alpers, U.S. & Nestoriuc, Y.(2015). Informing women with breast cancer about endocrine therapy: Effects on knowledge and adherence. *Psycho-Oncology* 24, 130-137. DOI: 10.1002/pon.3611.
- 160.Helbig-Lang, S., Rusch, S., **Rief, W.**, Lincoln, T.M.(2015). The strategy does not matter: Effects of acceptance, reappraisal, and distraction on the course of anticipatory anxiety in social anxiety disorder. *Psychology & Psychotherapy* 88, 366-377. doi: 10.1111/papt.12053.
- 161.Hofmann, M., Fehlanger, T., Stenzel, N. & **Rief, W.** (2015). The relationship between skill deficits and disability - A transdiagnostic study. *Journal of Clinical Psychology* 71, 413-421.
- 162.* Jung, E., Wiesjahn, M., **Rief, W.**,& Lincoln, T.M.(2015). Perceived therapist genuineness predicts therapeutic alliance in cognitive behavioural therapy for psychosis. *British Journal of Clinical Psychology*, 54, 34-48.
- 163.** Klaus, K., **Rief, W.**, Brähler, E., Martin, A. & Nater-Mewes, R. (2015). Validating Psychological Classification Criteria in the Context of Somatoform Disorders: A One-and Four-Year Follow-Up. *Journal of Abnormal Psychology* 124, 1092-1101. IF 5.2
- 164.Laferton, J., Auer, C., Shedd-Mora; M., Moosdorf, R. & **Rief, W.** (2015). Optimizing preoperative expectations in cardiac surgery patients is moderated by level of disability: the successful development of a brief psychological intervention. *Psychology, Health & Medicine*, DOI: [10.1080/13548506.2015.1051063](https://doi.org/10.1080/13548506.2015.1051063)
- 165.* Laferton, J., Auer, C., Moosdorf, R. & **Rief, W.** (2015). Factors associated with Disability Expectations in Patients undergoing Heart Surgery. *International Journal of Behavioral Medicine* 22, 85-91.
- 166.* Petrakova, L., Doering, B.K., Vits, S., Engler, H., **Rief, W.**, Schedlowski, M., Grigoleit, J.S.(2015). Psychosocial Stress Increases Salivary Alpha-Amylase Activity Independently from Plasma Noradrenaline Levels. *PLoS One*. doi: 10.1371/journal.pone.0134561.
- 167.Pieritz, C., **Rief, W.**& Euteneuer, F.(2015). Childhood adversities and laboratory pain perception. *Neuropsychiatric Disease and Treatment* 11, 2109-2116.
- 168.* Reh, V., Schmidt, M., Lam, L., Schimmelmann, B. G., Hebebrand, J., **Rief, W.**, & Christiansen, H. (2015). Behavioral Assessment of Core ADHD Symptoms Using the QbTest. *Journal of Attention Disorders*, 19(12), 1034-1045. doi: 10.1177/1087054712472981
- 169.Riehle, M., Jung, E., Wiesjahn, M., Mehl, S., **Rief, W.**, & Lincoln, T. M. (2015). What's in an item? Predicting social outcomes in schizophrenia spectrum disorders from the PANSS item "Poor Rapport". *Schizophrenia Research*, 168, 593-594. doi: 10.1016/j.schres.2015.08.026.

170. Ruckmann, J., Bodden, M., Jansen, A., Kircher, T., Dodel, R., & **Rief**, W. (2015). How pain empathy depends on ingroup/outgroup decisions: A functional magnet resonance imaging study. *Psychiatry research*, 234(1), 57-65. doi: 10.1016/j.psychresns.2015.08.006
- 171.** Schedlowski, M., Enck, P., **Rief**, W.& Bingel, U. (2015). Neuro-Bio-Behavioral Mechanisms of Placebo and Nocebo Responses: Implications for Clinical Trials and Clinical Practice. *Pharmacological Review* 67, 697–730.(IF 20)
172. Stenzel, N.M., Vaske, I., Kühl, K., Kenn, K., **Rief**, W.(2015). Prediction of end-of-life fears in COPD - hoping for the best but preparing for the worst. *Psychology & Health* 30, 1017-1034.
- 173.** Treede, R.-D., **Rief**, W., Barke, A., Aziz, Q., Bennett, M.I., Benoliel, R., Cohen, M., Evers, S., Finnerup, N.B., First, M.B., Giamberardino, M.A., Kaasa, S., Kosek, E., Lavand'homme, P., Nicholas, M., Perrot, S., Scholz, J., Schug, S., Smith, B.H., Svensson, P., Vlaeyen, J.W.S., Wang, S.-J. (2015). A classification of chronic pain for ICD-11. *Pain* 156(6): 1003-7. (IF 5.8)
- 174.* Vaske, I., Thöne, M.F., Kühl, K., Keil, D.C., Schürmann, W., **Rief**, W. & Stenzel, N.M. (2015). For better or for worse: a longitudinal study on dyadic coping and quality of life among couples with a partner suffering from COPD. *Journal of Behavioral Medicine* 38, (6) 851-862, DOI 10.1007/S10865-015-9657-Y.
175. Westermann, S., **Rief**, W., Euteneuer, F., & Kohlmann, S. (2015). Social exclusion and shame in obesity. *Eating Behaviors*, 17, 74-76. doi: 10.1016/j.eatbeh.2015.01.001.
176. Wiesjahn, M., Jung, E., Lamster, F., **Rief**, W. & Lincoln, T.M.(2015). The Potential of Continuum versus Biogenetic Beliefs in Reducing Stigmatization against Persons with Schizophrenia: An Experimental Study. *Journal of Behavior Therapy and Experimental Psychiatry* 50, 231-237.
- 177.* Winkler, A., & **Rief**, W. (2015). Effect of Placebo Conditions on Polysomnographic Parameters in Primary Insomnia: A Meta-Analysis. *Sleep*, 38(6), 925-932.
178. Zetsche, U., **Rief**, W., Exner, C.(2015). Individuals With OCD Lack Unrealistic Optimism Bias in Threat Estimation. *Behavior Therapy* 46, 510-520.
- 179.* Zetsche, U., **Rief**, W., Westermann, S.& Exner, C. (2015). Cognitive deficits are a matter of emotional context: Inflexible strategy use mediates context-specific learning impairments in OCD. *Cognition & Emotion* 29, 360-371.
- 180.* **Rief**, W. & Isaac, M. (2014). The future of somatoform disorders: somatic symptom disorder, bodily distress disorder, or functional syndromes? *Current Opinion in Psychiatry* 27, 315-319.
- 181.** **Rief**, W.& Martin, A. (2014). How to use the new DSM-5 diagnosis Somatic Symptom Disorder in research and practice? – A critical evaluation and a proposal for modifications. *Annual Review of Clinical Psychology* 10, 339–67. IF 12.4.
- 182.** Bingel, U.(for the Placebo Competence Group: U. Bingel, P. Enck, W. **Rief**, M. Schedlowski) (2014). Avoiding nocebo effects to optimize treatment outcome. *JAMA*, 312, 693-694 (IF 30).
- 183.*Christiansen, H., Reh, V., Schmidt, M.H. & **Rief**, W. (2014). Slow cortical potential Neurofeedback and self-management training in outpatient care for children with ADHD: study protocol and first preliminary results of a randomized controlled trial. *Frontiers in Human Neuroscience* 8. doi: 10.3389/fnhum.2014.00943.
- 184.* Dannehl, K., **Rief**, W., Schwarz, M.J., Hennings, A., Riemer, S., Selberdinger, V., Stapf, T.,

- Euteneuer, F. (2014). The predictive value of somatic and cognitive depressive symptoms for cytokine changes in patients with major depression. *Neuropsychiatric Disease and Treatment* 10, 1191-1197.
- 185.* Emmelkamp PMG, David D, Beckers T, Muris P, Cuijpers P, Lutz W, Andersson G, Araya R, Rivera RMB, Barkham M, Berking M, Berger T, Botella C, Carlbring P, Colom F, Essau C, Hermans D, Hofmann SG, Knappe S, Ollendick TH, Raes F, **Rief W**, Riper H, Van der Oord S, Vervliet B. (2014). Advancing psychotherapy and evidence-based psychological interventions. *International Journal of Methods in Psychiatric Research* 23, 58-91.
- 186.* Ehret, A. M., Kowalsky, J., **Rief**, W., Hiller, W., & Berking, M. (2014). Reducing symptoms of major depressive disorder through a systematic training of general emotion regulation skills: protocol of a randomized controlled trial. *BMC psychiatry*, 14(1), 20.
- 187.* Euteneuer, F., Mills, P., Pung, M.A., **Rief**, W.& Dimsdale, J.E.(2014). Neighborhood Problems and Nocturnal Blood Pressure Dipping. *Health Psychology* 33, 1366-1372.
- 188.* Euteneuer, F., Ziegler, M. G., Mills, P. J., **Rief**, W., & Dimsdale, J. E. (2014). In Vivo beta-Adrenergic Receptor Responsiveness: Ethnic Differences in the Relationship with Symptoms of Depression and Fatigue. *International Journal of Behavioral Medicine*, 21(5), 843-850.
- 189.* Euteneuer, F., Schwarz, M.J., Schmidmaier, R., Hennings, A., Riemer, S., Stapf, T., Selberdinger, V., Süssenbach, P., Dannehl, K.& **Rief**, W.(2014). Blunted Exercise-Induced Mobilization of Monocytes in Somatization Syndromes and Major Depression. *Journal of Affective Disorders* 166, 156-164.
- 190.* Exner, C., Zetsche, U., Lincoln, T. M., & **Rief**, W. (2014). Imminent Danger? Probabilistic Classification Learning of Threat-Related Information in Obsessive-Compulsive Disorder. *Behavior Therapy*, 45(2), 157-167.
- 191.* Fava, G.A., Tossani, E., Bech, P., Berrocal, C., Choiunard, G., Csillag, C., Wittchen, H.U. & **Rief**, W. (2014). Emerging clinical trends and perspectives on comorbid patterns of mental disorders in research. *International Journal of Methods in Psychiatric Research* 23, 92-101
- 192.** Hadji, P., Jackisch, C., Bolten, W., Blettner, M., Hindenburg, H.J., Klein, P., König, K., Kreienberg, R., **Rief**, W., Wallwiener, D., Zaun, S.& Harbeck, N.(2014). COMPliance and Arthralgia in Clinical Therapy: the COMPACT trial, assessing the incidence of arthralgia, and compliance within the first year of adjuvant anastrozole therapy. *Annals of Oncology* 25, 372-377.(IF 7.4).
- 193.* Keil, D. C., Stenzel, N. M., Kühl, K., Vaske, I., Mewes, R., **Rief**, W., & Kenn, K. (2014). The impact of chronic obstructive pulmonary disease-related fears on disease-specific disability. *Chronic Respiratory Disease*, 11(1), 31-40.
- 194.* Kohl, A., **Rief**, W. & Glombiewski, J.A. (2014). Do fibromyalgia patients benefit from cognitive restructuring and acceptance? An experimental study. *Journal of Behavior Therapy and Experimental Psychiatry* 45, 467-474.
- 195.** Kool, M. B., van de Schoot, R., Garcia, I. L. C., Mewes, R., Da Silva, J. A. P., Vangronsveld, K., Wismeijer, A.A.J., Lumley, M.A., van Middendorp, H., Bijlsma, J.W.J., Crombez, G., **Rief**, W., Geenen, R. (2014). Measurement invariance of the Illness Invalidation Inventory (3(*)I) across language, rheumatic disease and gender. *Annals of the Rheumatic Diseases*, 73(3), 551-556.(IF 9.1)
- 196.* Lincoln, T.M., **Rief**, W., Westermann, S., Ziegler, M., Kesting, M., Luellmann, E.& Mehl, S. (2014). Who stays, who benefits? Predicting dropout and change in cognitive behaviour therapy for psychosis. *Psychiatry Research*, 216, 198-205.
- 197.* Reh, V., Schmidt, M., **Rief**, W. & Christiansen, H.(2014). Preliminary evidence for altered motion tracking-based hyperactivity in ADHD siblings. *Behavioral and Brain Sciences*

Functions, **10**:7. doi:10.1186/1744-9081-10-7

- 198.** Seifart, C., Hofmann, M., Bär, T., Riera, J., Seifart, U.& **Rief**, W.(2014). Breaking bad news – what patients want and what they get. Evaluating the SPIKES protocol in Germany. *Annals of Oncology* 25, 707-711. (IF 7.4)
199. Spangenberg, L., Zenger, M., **Rief**, W., Braehler, E. & Glaesmer, H.(2014). Assessing modern health worries: Dimensionality and factorial invariance across age and sex of the Modern Health Worries Scale in a general population sample. *Journal of Health Psychology* 19, 1302-1308.
200. Timpano, K. R., Rasmussen, J. L., Exner, C., **Rief**, W., & Wilhelm, S. (2014). The association between metacognitions, the obsessive compulsive symptom dimensions and hoarding: A focus on specificity. *Journal of Obsessive-Compulsive and Related Disorders*, 3(2), 188-194. doi: 10.1016/j.jocrd.2013.10.001
- 201.* Von Blankenburg, P., Seifart, U., Conrad, N., Exner, C., **Rief**, W. & Nestoriuc, Y.(2014). Quality of Life in Cancer Rehabilitation: The Role of Life Goal Adjustment. *Psycho-Oncology* 23, 1149-1156.
- 202.* Wendt, L., Albring, A., Benson, S., Engler, H., Engler, A., Hinney, A., **Rief**, W., Witzke, O.& Scheldowski, M. (2014). Catechol-O-Methyltransferase Val158Met Polymorphism Is Associated with Somatosensory Amplification and Nocebo Responses. *PLoS ONE* 9(9): e107665. doi:10.1371/journal.pone.0107665
203. Westermann, S., **Rief**, W. & Lincoln, T.M.(2014). Emotion regulation in delusion-proneness: Deficits in cognitive reappraisal, but not in expressive suppression. *Psychology & Psychotherapy* 87, 1-14.
204. Wiesjahn, M., Jung, E., Lamster, F., **Rief**, W. & Lincoln, T.M.(2014). Explaining Attitudes and Adherence to Antipsychotic Medication: The Development of a Process Model. *Schizophrenia Research & Treatment*. 2014:341545. doi: 10.1155/2014/341545
- 205.* Winkler, A., Doering, B., Auer, C. & **Rief**, W. (2014). Drug treatment of primary insomnia: A meta-analysis of polysomnographic randomized controlled trials. *CNS Drugs* 28, 799-816.
- 206.* Wittchen HU, Knappe S, Andersson G, Araya R, Rivera RMB, Barkham M, Bech P, Beckers T, Berger T, Berking M, Berrocal C, Botella C, Carlbring P, Chouinard G, Colom F, Csillag C, Cuijpers P, David D, Emmelkamp PM, Essau CA, Fava GA, Goschke T, Hermans D, Hofmann SG, Lutz W, Muris P, Ollendick TH, Raes F, **Rief** W, Riper H, Tossani E, van der Oord S, Vervliet B, Haro JM, Schumann G. (2014). The need for a behavioural science focus in research on mental health and mental disorders. *International Journal of Methods in Psychiatric Research* 23, 28-40.
- 207.* Zöckler, N., Kenn, K., Kühl, K., Stenzel, N.& **Rief**, W.(2014). Illness perceptions predict exercise capacity and psychological well-being after pulmonary rehabilitation in COPD patients. *Journal of Psychosomatic Research* 76, 146-151.
- 208.* **Rief**, W. (2013). A commentary on: Somatic Symptom Disorder: An important change in DSM. *Journal of Psychosomatic Research*, 75, 584.
- 209.** Enck, P., Bingel, U., Schedlowski, M.& **Rief**, W.(2013). Minimize, maximize, or personalize? – What to do with the placebo response in medicine? *Nature Review Drug Discovery*, Vol. 12, 191-204. (IF 47).(Shared authorship of all authors)
- 210.* Euteneuer, F., Ziegler, M.G., Mills, P.J., **Rief**, W. Dimsdale, J.E.(2013). In Vivo β -

- Adrenergic Receptor Responsiveness: Ethnic Differences in the Relationship with Symptoms of Depression and Fatigue. International Journal of Behavioral Medicine.
- 211.* Fehlinger, T., Stumpenhorst, M., Stenzel, N. & **Rief**, W.(2013). Emotion Regulation is the Essential Skill for Improving Depressive Symptoms. Journal of Affective Disorders 144, 116-122.
 - 212.* Finnerup, N.P., Scholz, J., Attal, N., Baron, R., Haanpää, M., Hansson, P., Raja, S.N., Rice, A.S.C., **Rief**, W., Rowbotham, M.C., Simpson, D.M.,& Treede, R-D.(2013) Neuropathic pain needs systematic classification. European Journal of Pain 17, 953-956.
 - 213.** Glombiewski, J.A.& **Rief**, W. (2013). Nonadherence to medication. JAMA, 310, 1505-1506. (letter). IF 30.0
 - 214.* Hennings, A., Schwarz, M. J., Riemer, S., Stapf, T. M., Selberdinger, V. B., & **Rief**, W. (2013). Exercise affects symptom severity but not biological measures in depression and somatization - Results on IL-6, neopterin, tryptophan, kynurenone and 5-HIAA. Psychiatry Research, 210(3), 925-933. doi: 10.1016/j.psychres.2013.09.018
 - 215.* Klaus, K., **Rief**, W., Brähler, E., Martin, A., Glaesmer, H.& Mewes, R.(2013). The Distinction Between "Medically Unexplained" and "Medically Explained" in the Context of Somatoform Disorders. International Journal of Behavioral Medicine 20, 161-171.
 - 216.* Kohl, A., **Rief**, W. & Glombiewski, J.A.(2013). Acceptance, Cognitive Restructuring, and Distraction as Coping Strategies for Acute Pain. Journal of Pain, 14, 305-315.
 - 217.Kühnemund, A., Zwick, S., Doering, B., Conrad, N., **Rief**, W. & Exner, C.(2013). Decline in attainability of communion and agency life goals over two years following acquired brain injury and the impact on subjective well-being. Neuropsychological Rehabilitation 23, 678-697.
 - 218.* Laferton, J., Auer, C., Shedd-Mora, M., Moosdorf, R. & **Rief**, W. (2013). Enhancing the efficacy of heart surgery by optimizing patients' preoperative expectations: Study protocol of a randomized controlled trial. American Heart Journal 165, 1-7.
 - 219.* Riecke, J., Holzapfel, S., **Rief**, W. & Glombiewski, J.A.(2013). Evaluation and implementation of graded *in vivo* exposure for chronic low back pain in a German outpatient setting: a study protocol of a randomized controlled trial. Trials 14, 203.
 - 220.* Schumacher, S., **Rief**, W., Braehler, E., Martin, A., Glaesmer, H., Mewes, R.(2013). Disagreement in doctor's and patient's rating about medically unexplained symptoms and health care use. International Journal of Behavioral Medicine 20, 30-37.
 - 221.* Shedd-Mora, M., Weber, D., Neff, A.& **Rief**, W. (2013). Biofeedback-based cognitive-behavioral treatment compared to occlusal relaxation splint for temporomandibular disorder. A randomized controlled trial. Clinical Journal of Pain 29, 1057-1064.
 - 222.* Stenzel, N., Krumm, S., Hartwich-Tersek, J., Beisel, S. & **Rief**, W. (2013). Psychiatric comorbidities are associated with increased skills deficits. Clinical Psychology & Psychotherapy 20, 501–512.
 - 223.* Timpano, K.R., Rasmussen, J., Exner, C., **Rief**, W., Schmidt, N.B., & Wilhelm, S. (2013). Hoarding and the multi-faceted construct of impulsivity: A cross-cultural investigation. Journal of Psychiatric Research 47, 363-370.
 - 224.* Timpano, K.R., Broman-Fulks, J.J., Glaesmer, H., Exner, C., **Rief**, W., Olatunji, B.O., Keough, M.E., Riccardi, C.J., Brähler, E., Wilhelm, S.& Schmidt, N.B. (2013). A Taxometric Exploration of the Latent Structure of Hoarding. Psychological Assessment 25, 194-203.
 - 225.** Tomenson, B., Essau, C., Jacobi, F., Ladwig, K.H., Leiknes, K.A., Lieb, R., Meinlschmidt, G., Mcbeth, J., Rosmalen, J., **Rief**, W., Sumathipala, A. & Creed, F. (2013). Total somatic symptom score as a predictor of health outcome in somatic symptom disorders. British Journal of Psychiatry 203, 373-380. IF 6.6
 - 226.* von Blanckenburg, P., Schuricht, F., Albert, U. S., **Rief**, W., & Nestoriuc, Y. (2013). Optimizing expectations to prevent side effects and enhance quality of life in breast cancer

Latest Impact Factors acc. to 2017; * 2.0 < IF < 5.0; ** IF >= 5.0

- patients undergoing endocrine therapy: study protocol of a randomized controlled trial. *BMC Cancer*, 13. doi: 10.1186/1471-2407-13-426.
- 227.** Winkler, A., Dörsing, B., Shen, Y., **Rief**, W., Glombiewski, J.A. (2013). Treatment of internet addiction: A meta-analysis. *Clinical Psychology Review* 33, 317-329. IF 7.1.
- 228.* Zijlema, W.L., Stolk, R.P., Löwe, B., **Rief**, W., BioSHaRE, White, P.D.& Rosmalen, J.G.M. (2013). How to assess common somatic symptoms in large-scale studies: a systematic review of questionnaires. *Journal of Psychosomatic Research* 74, 459-468.
- 229.** **Rief**, W. & Glombiewski, J.A. (2012). The hidden effects of blinded, placebo controlled randomized trials: An experimental investigation. *Pain* 153, 2473-2477.(IF 5.8)
- 230.* **Rief**, W., Kaasa, S., Jensen, R., Perrot, S., Vlaeyen, J.W.S., Treede, R.-D.,& Vissers, K.C.P. (2012). New Proposals for the ICD-11 Revision of Pain Diagnoses. *Journal of Pain*, 13, 305-316
- 231.* **Rief**, W., Glaesmer, H., Baehr, V., Broadbent, E., Brähler, E.& Petrie, K.J.(2012). The relationship of modern health worries to depression, symptom reporting and quality of life in a general population survey. *Journal of Psychosomatic Research* 72, 318-320.
- 232.** **Rief**, W. & Bardwell, W. (2012). Conflicts of interest should be reported in studies evaluating psychotherapeutic interventions. Response letter. *British Medical Journal*, www.bmjjournals.org/content/344/bmj.e1211?tab=responses. IF= 14.1.
- 233.** Doering, B. & **Rief**, W.(2012). Utilizing placebo mechanisms for dose reduction in pharmacotherapy. *Trends in Pharmacological Science* 33, 165-172. (IF 11.1).
- 234.* Exner, C., Zetsche, U., Martin, V., **Rief**, W. & Jansen, A. (2012). Regional gray matter changes in obsessive-compulsive disorder: Relationship to clinical characteristics. *Psychiatry Research: Neuroimaging* 202, 74-76.
- 235.* Eutener, F., Mills, P.J., **Rief**, W., Ziegler, M.G.& Dimsdale, J.E. (2012). Association of in vivo β -adrenergic receptor sensitivity with inflammatory markers in healthy subjects. *Psychosomatic Medicine* 74, 271-277.
- 236.* Euteneuer, F., Schwartz, M.J., Hennings, A., Riemer, S., Selberdinger, V., Stapf, T. & **Rief**, W. (2012). Psychobiological aspects of somatization: Contribution of inflammatory cytokines and neopterin. *Psychiatry Research* 195, 60-65.
- 237.* Eutener, F., Mills, P.J., **Rief**, W., Ziegler, M.G. & Dimsdale, J.E. (2012). Subjective Social Status predicts the In-Vivo Responsiveness of β -Adrenergic Receptors. *Health Psychology*, 31, 525-529.
- 238.* Euteneuer, F., Schwarz, M.J., Dannehl, K., Hartung, A., Westermann, S. & **Rief**, W. (2012). Increased soluble interleukin-2 receptor levels are related to somatic but not to cognitive-affective features in major depression. *Brain, Behavior, and Immunity* 26, 1244-1248.
239. Glaesmer, H., Brähler, E., Martin, A., Mewes, R., **Rief**, W. (2012). Gender differences in health care utilization – does the health care utilization propensity influence them? *Journal of Applied Social Psychology* 42, 1266-1279.
240. Glaesmer, H., **Rief**, W., Martin, A., Mewes, R., Braehler, E., Zenger, M.& Hinz, A. (2012). Psychometric properties and population-based norms of the Life Orientation Test Revised (LOT-R). *British Journal of Health Psychology*, 17, 432-445.
- 241.* Glombieski, J.A., Nestoriuc, Y., **Rief**, W., Glaesmer, H.& Braehler, E.(2012). Medication adherence in the general population. *PLoS One* 7(12): e50537. doi:10.1371/journal.pone.0050537.

- 242.* Hartmann, A.S., **Rief**, W. & Hilbert, A.(2012). Laboratory snack food intake, negative mood and impulsivity in youth with ADHD symptoms and episodes of loss of control eating- Where is the missing link? *Appetite* 58, 672-678.
- 243.* Hennings, A., Schwartz, M.J., Riemer, S., Staph, T.M., Selberdinger, V.B. & **Rief**, W. (2012). The influence of physical activity on pain thresholds in patients with depression and multiple somatoform symptoms. *Clinical Journal of Pain*, 28, 782-789.
- 244.* Kohl, A., **Rief**, W. & Glombiewski, J.A. (2012). How effective are acceptance strategies? – A meta-analytical review of experimental results. *Journal of Behavior Therapy and Experimental Psychiatry* 43, 988-1001.
- 245.* Lincoln, T., Lüllmann, E., Mehl, S., Ziegler, M., **Rief**, W.(2012). Moving from efficacy to effectiveness in cognitive behavioural therapy for psychosis: A randomized clinical-practice trial. *Journal of Consulting and Clinical Psychology* 80, 674-686.
- 246.* Maes, M. & **Rief**, W.(2012). Diagnostic classifications in depression and somatization should include biomarkers, such as disorders in the tryptophan catabolite (TRYCAT) pathway. *Psychiatry Research* 196, 243-249.
- 247.* Shedd Mora, M., Weber, D., Borkowski, S. & **Rief**, W. (2012). Nocturnal masseter muscle activity is related to TMD symptoms and somatization in temporomandibular disorders. *Journal of Psychosomatic Research* 73, 307-312.
- 248.* Volckmar, A.L., Bolze, F., Jarick, I., Knoll, N., Scherag, A., Reinehr, T., Illig, T., Grallert, H., Wichmann, H.E., Wiegand, S., Biebermann, H., Krude, H., Fischer-Pozovszky, P., Rief, W., Wabitsch, M., Klingenspor, M., Hebebrand, J.& Hinney, A. (2012). Mutation screen in the GWAS derived obesity gene SH2B1 including functional analyses of detected variants. *BMC Medical Genomics* 5, DOI 10.1186/1755-8794-5-65.
- 249.****Rief**, W., Bingel, U., Schedlowski, M. & Enck, P.(2011). Mechanisms involved in placebo and nocebo responses and implications for drug trials. *Clinical Pharmacology & Therapeutics* 90, 722-726 (IF 6.7).
- 250.* **Rief**, W., Mewes, R., Martin, A., Glaesmer, H.& Braehler, E.(2011). Evaluating new proposals for the psychiatric classification of patients with multiple somatic symptoms. *Psychosomatic Medicine* 73, 760-768.
- 251.** **Rief**, W. (2011). Lessons to be learned from placebo groups in clinical trials. *Pain* 152, 1693-1694.(IF 5.4)
- 252.* **Rief**, W., Barsky, A. J., Glombiewski, J. A., Nestoriuc, Y., Glaesmer, H. & Brähler, E. (2011). Assessing general side effects in clinical trials: Reference data from the general population. *Pharmacoepidemiology & Drug Safety* 20, 405-415.
- 253.* **Rief**, W., Bardwell, W.A., Dimsdale, J.E., Natarajan, L., Flatt, S.W., Pierce, J.P. for the Women's Healthy Eating and Living (WHEL) study group (2011). Long-term course of pain in breast cancer survivors: A four year longitudinal study. *Breast Cancer Research & Treatment*, 130, 579–586. (IF 4.7)
254. Buhlmann, U., Wilhelm, S., Glaesmer, H., Mewes, R., Brähler, E. & **Rief**, W. (2011). Perceived appearance-related teasing in body dysmorphic disorder: A population-based survey. *International Journal of Cognitive Therapy* 4, 342-348.
- 255.* Czaja, J., Hartmann, A.S., **Rief**, W. & Hilbert, A. (2011) Mealtime family interactions in home environments of children with loss of control eating. *Appetite* 56, 587-593.
256. Döring, B., Conrad, N., **Rief**, W. & Exner, C. (2011). Living with acquired brain injury: Self-concept as mediating variable in the adjustment process. *Neuropsychological Rehabilitation* 21, 42-63.

- 257.* Euteneuer, F., Schwartz, M.J., Hennings, A., Riemer, S., Stafp, T., Selberdinger, V.& **Rief**, W. (2011). Depression, cytokines and experimental pain: Evidence for sex-related association patterns. *Journal of Affective Disorders* 131, 143-149.
- 258.Glaesmer, H., Wittig, U., Braehler, E., Martin, A., Mewes, R. & **Rief**, W. (2011). Health care utilisation of first and second generation immigrants and the native population – a population based study in Germany. *International Journal of Public Health* 56, 541-548.
- ²⁵⁹Glaesmer, H., Rief, W., Martin, A., Mewes, R., Braehler, E., Zenger, M., Hinz, A. (2012). Psychometric properties and population-based norms of the Life Orientation Test Revised (LOT-R). *British Journal of Health Psychology*, 17, 432-445.
- 260.Hartmann, A.S., **Rief**, W. & Hilbert, A.(2011). Psychometric properties of the German version of the Barratt Impulsiveness Scale, Version 11 (BIS-11) for adolescents. *Perceptual & Motor Skills* 112, 353-368.
- 261.Hauffa, R., **Rief**, W., Brähler, E., Martin, A., Mewes, R. & Glaesmer, H. (2011). Lifetime traumatic experience and posttraumatic stress disorder in the German population: Results of a representative population survey. *Journal of Nervous & Mental Disease* 199, 934-939.
- 262.* Hesser, H., Weise, C., **Rief**, W.& Andersson, G. (2011). The effect of waiting: A meta-analysis of wait-list control groups in trials for tinnitus distress. *Journal of Psychosomatic Research* 70, 378-384.
- 263.* Kesting, M.L., Mehl, S., **Rief**, W., Lindenmeyer, J.& Lincoln, T.M.(2011). When paranoia fails to enhance self-esteem: Explicit and implicit self-esteem and its discrepancy in patients with persecutory delusions compared to depressed and healthy controls. *Psychiatry Research* 186, 197-202.
- 264.** Lincoln, T.M., Mehl, S., Kesting, M.L.& **Rief**, W. (2011). Negative symptoms and social cognition: Identifying targets for psychological interventions. *Schizophrenia Bulletin* 37, S23-S32. (IF 7.5)
- 265.Lüllmann, E., Berendes, S., **Rief**, W. & Lincoln, T.M. (2011). Benefits and harms of providing biological causal models in the treatment of psychosis - An experimental study. *Journal of Behavior Therapy and Experimental Psychiatry* 42, 447-453.
- 266.Maes, M., Galletcki, P., Verkerk, R. & **Rief**, W. (2011). Somatization, but not depression, is characterized by disorders in the tryptophan catabolite (TRYCAT) pathway, indicating increased indoleamine 2,3-dioxygenase and lowered kynurene aminotransferase activity. *Neuroendocrinology Letters* 32, 264-273.
- 267.Mangels, M., Schwarz, S., Worringen, U., Holme, M. & **Rief**, W.(2011). Long sick leave after orthopaedic inpatient rehabilitation: treatment failure or relapse? *International Journal of Rehabilitation Research* 34, 29-37.
- 268.Martin, A. & **Rief**, W. (2011). Relevance of cognitive and behavioral factors in medically unexplained syndromes and somatoform disorders. *Psychiatric Clinics of North America* 34, 565-578.
- 269.** Shedden Mora, M.C., Nestoriuc, Y. & **Rief**, W.(2011). Lessons learned from placebo groups in antidepressant trials. *Philosophical Transactions of the Royal Society B (Biological Sciences)*, 366, 1879-1888 (IF 6.1).
- 270.** Timpano, K.R., Exner, C., Glaesmer, H., **Rief**, W., Keshavia, A., Braehler, E. & Wilhelm, S. (2011). The epidemiology of the proposed hoarding disorder: Exploration of the aquisition specifier, associated features, and distress. *Journal of Clinical Psychiatry* 72, 780-786. (IF 5.2).
- 271.** **Rief**, W., Kaasa, S., Jensen, R., Perrot, S., Vlaeyen, J.W.S., Treede, R.-D.& Vissers, K. C. P. (2010). The need to revise pain diagnoses in ICD-11. *Pain*, 149, 169-170. (IF 6.0).
- 272.* **Rief**, W., Mills, P., Ancoli-Israel, S., Ziegler, M. & Dimsdale, J.E. (2010). Overnight

- changes of immune parameters and catecholamines are associated with psychological features. *Psychosomatic Medicine* 72, 755-762.
- 273.* **Rief**, W., Mewes, R., Martin, A., Glaesmer, H. & Braehler, E.(2010). Are psychological features useful in classifying patients with somatic symptoms? *Psychosomatic Medicine* 72, 648-655.
- 274.* **Rief**, W., Hennings, A., Riemer, S. & Euteneuer, F. (2010). Psychobiological differences between depression and somatization. *Journal of Psychosomatic Research* 68, 495-502.
- 275.* **Rief**, W. (2010). Painting the picture of distressing somatic symptoms. *Journal of Psychosomatic Research* 68, 1-4.
- 276.** Glombiewski, J.A., **Rief**, W., Bösner, S., Keller, H., Martin, A., Donner-Banzhoff, N. (2010). The course of unspecific chest pain in primary care: Symptom persistence and health care utilization. *Archives of Internal Medicine* 170, 251-255. (IF 9.1)
- 277.* Glombiewski, J.A., Hartwich-Tersek, J. & **Rief**, W.(2010). Depression in chronic pain: prediction of pain intensity and pain disability in cognitive-behavioral treatment. *Psychosomatics* 51, 130-136.
- 278.Glombiewski, J.A., Hartwich-Tersek, J. & **Rief**, W. (2010). Two psychological interventions are effective in severely disabled, chronic back pain patients: A randomised controlled trial. *International Journal of Behavioral Medicine* 17, 97-107.
- 279.* Glombiewski, J.A., Hartwich-Tersek, J. & **Rief**, W. (2010). Attrition in psychological treatment of chronic back pain. *Clinical Journal of Pain* 26, 593-601.
- 280.** Glombiewski, J.A., Sawyer, A.T., Gutermann, J., Koenig, K., **Rief**, W., Hofmann, S.G. (2010). Psychological treatments for fibromyalgia: A Meta-Analysis. *Pain* 151, 280-295 (IF 6.0).
- 281.* Lincoln, T.M., Ziegler, M., Lüllmann, E., Müller, M.J., & **Rief**, W. (2010). Can delusions be self-assessed? Concordance between self- and observer rated delusions in schizophrenia. *Psychiatry Research* 178, 249-254.
- 282.* Nestoriuc, Y., Kriston, L. & **Rief**, W. (2010). Meta-analysis as core of evidence-based behavioral medicine: tools and pitfalls of a statistical approach. *Current Opinion of Psychiatry* 23, 145-150.
- 283.* Losekam, S., Goetzky, B., Kraeling, S., **Rief**, W. & Hilbert, A.(2010). Physical activity in normal weight and overweight youth: Association with weight-teasing and self-efficacy. *Obesity Facts* 3, 239-244.
- 284.* Buhlmann, U., Glaesmer, H., Mewes, R., Braehler, E.& **Rief**, W (2010). Updates on the prevalence of body dysmorphic disorder: A population-based study. *Psychiatry Research* 178, 171-175.
- 285.Conrad, N., Doering, B., **Rief**, W.& Exner, C.(2010). Looking beyond the importance of life goals. The personal goal model of subjective well-being in neuropsychological rehabilitation. *Clinical Rehabilitation*, 24, 431-443.
- 286.* Hartmann, A.S., Czaja, J., **Rief**, W. & Hilbert, A. (2010). Personality and psychopathology in children with and without loss of control over eating. *Comprehensive Psychiatry* 51, 572-578.
- 287.* Hilbert, A., Martin, A., Zech, T., Rauh, E. & **Rief**, W. (2010). Patients with medically unexplained symptoms and their significant others: Interpersonal predictors of patients functioning over time. *Journal of Psychosomatic Research* 68, 253-262.
- 288.* Juergens, M.C., Seekatz, B., Moosdorf, R.G., Petrie, K.J., **Rief**, W. (2010). Illness Beliefs before Cardiac Surgery Predict Disability, Quality of Life and Depression Three Months Later. *Journal of Psychosomatic Research*, 68, 553-560.
- 289.* Lincoln, T.M., Ziegler, M., Mehl, S. & **Rief**, W. (2010). The jumping to conclusions bias in delusions: specificity and changeability. *Journal of Abnormal Psychology* 119, 40-49.

290. Lincoln, T.M., Mehl, S., Exner, C., Lindenmeyer, J. & **Rief**, W. (2010). Attributional style and persecutory delusions. Evidence for an event independent and state specific external-personal attribution bias for social situations. *Cognitive Therapy & Research* 34, 297-302.
- 291.* Lincoln, T.M., Mehl, S., Ziegler, M., Kesting, M.-L., Exner, C., & **Rief**, W. (2010). Is fear of others linked to an uncertain concept of self? - The relevance of self-worth, interpersonal self-concepts and dysfunctional beliefs to paranoia. *Behavior Therapy* 41, 187-197.
292. Mehl, S., **Rief**, W., Lüllmann, E., Ziegler, M., Müller, M.J.& Lincoln, T. (2010). Implicit attributional style revisited: Evidence for a state-specific 'self decreasing' implicit attributional style in patients with persecutory delusions. *Cognitive Neuropsychiatry* 15, 451-476.
- 293.* Mehl, S., **Rief**, W., Lüllmann, E., Mink, K., Lincoln, T.M. (2010). Social performance is more closely associated with Theory of Mind and autobiographical memory than with psychopathological symptoms in clinically stable patients with schizophrenia spectrum disorders. *Psychiatry Research* 178, 276-283.
294. Mehl, S., **Rief**, W., Lüllmann, E., Ziegler, M., Kesting, M.L.& Lincoln, T. (2010). Are Theory of Mind deficits in understanding intentions of others associated with persecutory delusions? *Journal of Nervous and Mental Disease* 198, 516-519.
- 295.* Riemer, S., Maes, M., Christophe, A. & **Rief**, W. (2010). Lowered ω-3 PUFAs are related to major depression, but not to somatization syndrome. *Journal of Affective Disorders* 123, 173-180.
- 296.** Scherag, A., Dina, C., Hinney, A., Vatin, V., Scherag, S., Vogel, C.I.G., Müller, T.D., Grallert, H., Wichmann, H.E., Balkau, B., Heude, B., Jarvelin, M.R., Hartikainen, A.L., Levy-Marchal, C., Weill, J., Delplanque, J., Körner, A., Kiess, W., Kovacs, P., Rayner, N.W., Prokopenko, I., McCarthy, M.I., Schäfer, H., Jarick, I., Boeing, H., Fisher, E., Reinehr, T., Heinrich, J., Rzehak, P., Berdel, D., Borte, M., Biebermann, H., Krude, H., Rosskopf, D., Rimmbach, C., **Rief**, W., Fromme, T., Klingenspor, M., Schürmann, A., Nöthen, M.M., Mühlisen, T.W., Erbel, R., Jöckel, K.H., Moebus, S., Boes, T., Illig, T., Froguel, P., Hebebrand, J.& Meyre, D. (2010). Two new loci for body-weight regulation identified in a joint analysis of genome-wide association studies for early onset extreme obesity in French and German study groups. *PLoS Genetics* 6, (4) e1000916. IF 8.9
- 297.** Speliotes, E.K., Willer, C.J., Berndt, S.I.,..., **Rief**, W. et al. (more than 300 authors) (2010). Association analyses of 249,769 individuals reveal eighteen new loci associated with body mass index. *Nature Genetics*, 42 (11), 937-953. (IF 34.3)
- 298.* Creed, F., Guthrie, E., Fink, P., Henningsen, P., **Rief**, W., Sharpe, M.& White, P. (2010). Is there a better term than "Medically unexplained symptoms"? *Journal of Psychosomatic Research* 68, 5-8.
299. Muller, T., Bronner, G., Wandolski, M., Carrie, J., Nguyen, T., Greene, B., Scherag, A., Grallert, H., Vogel, C., Scherag, S., **Rief**, W., Wichmann, H.-E., Illig, T., Schaefer, H., Hebebrand, J. & Hinney, A. (2010). Mutation screen and association studies for the fatty acid amide hydrolase (FAAH) gene and early onset and adult obesity. *BMC Medical Genetics*, 11(1), 2.
- 300.* Wang, H., Ahrens, C., **Rief**, W., Gantz, S., Schiltenwolf, M.& Richter, W. (2010). Influence of Depression Symptoms on Serum TNF-alpha of Patients with Chronic Low Back Pain. *Arthritis Research and Therapy* 12, R186.
- 301.* Wang, H., Ahrens, C., **Rief**, W. & Schiltenwolf, M. (2010). Influence of Comorbidity with Depression on Interdisciplinary Therapy -Outcomes in Patients with Chronic Low Back Pain. *Arthritis Research and Therapy* 12, R185.
- 302.* **Rief**, W., Nestoriuc, Y., Weiss, S., Welzel, E., Barsky, A.J.& Hofmann, S. (2009). Meta-analysis of the placebo response in antidepressant trials. *Journal of Affective Disorders* 118, 1-8.

- 303.* **Rief**, W., v. Lilienfeld-Toal, A., Nestoriuc, Y., Hofmann, S., Barsky, A.& Avorn, J. (2009). Differences in adverse effect reporting in placebo groups in SSRI and tricyclic antidepressant trials: a systematic review and meta-analysis. *Drug Safety* 32, 1041-1056.
- 304.** Mewes, R., **Rief**, W., Stenzel, N., A., Glaesmer, H., Martin, A. & Braehler, E. (2009). What is normal disability? – An investigation of disability in the general population. *Pain*, 142, 36-41. (IF 6.0)
- 305.** Hennings, A., Zill, P. & **Rief**, W. (2009). Serotonin transporter gene promoter polymorphism and somatoform symptoms. *Journal of Clinical Psychiatry* 70, 1536-1539. (IF 5.1)
- 306.** Mewes, R. & **Rief**, W. (2009). Answer to the comment on: What is “normal” disability? An investigation of disability in the general population. *Pain* 144, 342. (IF 6.0)
- 307.* Mangels, M., Schwarz, S., Worringen, U., Holme, M. & **Rief**, W.(2009). Evaluation of a behavioral-medical inpatient rehabilitation treatment including booster sessions: a randomized controlled study. *Clinical Journal of Pain* 25, 356-364.
- 308.* Hilbert, A., **Rief**, W., Tuschen-Caffier, B., de Zwaan, M. & Czaja, J. (2009). Loss of Control Eating and Psychological Maintenance in Children: An Ecological Momentary Assessment Study. *Behaviour Research and Therapy* 47, 26-33.
- 309.* Exner, C., Kohl, A., Zaudig, M., Langs, G. & **Rief**, W. (2009). A self-conscious meta-cognitive style mediates episodic verbal memory deficits in obsessive-compulsive disorder. *Journal of Anxiety Disorders* 23, 624-631.
- 310.Exner, C., Martin, V.& **Rief**, W. (2009). Self-focused ruminations and episodic memory deficits in obsessive-compulsive disorder. *Cognitive Therapy and Research* 33, 163-174.
- 311.* Buhlmann, U., Teachman, B.A., Naumann, E., Fehlinger, T.& **Rief**, W. (2009). The meaning of beauty: Implicit and explicit self-esteem and attractiveness beliefs in body dysmorphic disorder. *Journal of Anxiety Disorders* 23, 694-702.
- 312.* Czaja, J., **Rief**, W. & Hilbert, A. (2009). Emotion regulation and binge eating in children. *International Journal of Eating Disorders* 4S2, 346-362.
- 313.* Vogel, C.I.G., Scherag, A., Brönnér, G., Nguyen, T.T., Wang, H.J., Rosskopf, D., Völzke, H., Bornhorst, A., Reinehr, T., **Rief**, W., Grallert, H., Illig, T., Wichmann, H.E., Hebebrand, J.& Hinney, A.(2009). Gastric inhibitory polypeptide receptor: Association analyses of several polymorphisms in large study groups pertaining to obesity. *BMC Medical Genetics*, 10:19; doi:10.1186/1471-2350-10-19
- 314.* Isaac, M. & **Rief**, W. (2009). Role of behavioural and social sciences in medical education. *Current Opinion in Psychiatry* 22, 184-187.
- 315.* Hilbert, A., Dierk, J.M., Conradt, M., Schlumberger, P., Hinney, A., Hebebrand, J., **Rief**, W. (2009). Causal attributions of obese men and women in genetic testing: Implications of genetic/biological attributions. *Psychology and Health* 24, 749-761.
- 316.* Conradt, M., Dierk, J.M., Hinney, A., Hebebrand, J.& **Rief**, W. (2009). A consultation with genetic information about obesity decreases self-blame about eating and leads to realistic weight loss goals in obese subjects. *Journal of Psychosomatic Research*, 66, 287-296.
- 317.Heinecke, K., Weise, C., & **Rief**, W. (2009). Psychophysiological effects of biofeedback treatment in tinnitus sufferers. *British Journal of Clinical Psychology* 48, 223-249.
- 318.** **Rief**, W. & Hofmann, S.G. (2008). The missing data problem in meta-analyses. *Archives of General Psychiatry*, 65, 238 (letter).(IF 14.3)
- 319.**Rief**, W., Nestoriuc, Y.& Hofmann, S.G. (2008). The power of expectation – Understanding the placebo and nocebo phenomenon. *Social and Personality Psychology Compass* 2. 10.1111/j.1751-9004.2008.00121.x. Pages 1-14.
- 320.* **Rief**, W., Zenz, M., Schweiger, U., Rüddel, H., Henningsen, P., Nilges, P.(2008). Redefining (somatoform) pain disorder in ICD-10: A compromise of different interest groups

- in Germany. Current Opinion of Psychiatry 21, 178-181.
- 321.* Weise, C., Heinecke, K. & **Rief**, W. (2008). Biofeedback-based behavioural treatment for chronic tinnitus—results of a randomised controlled trial. Journal of Consulting and Clinical Psychology, 76, 1046-1057.
- 322.** Lincoln, T.M., Arens, E., Berger, C. & **Rief**, W. (2008). Can anti-stigma campaigns be improved? A test of the impact of biogenetic versus psycho-social causal explanations on implicit and explicit attitudes to schizophrenia. Schizophrenia Bulletin 34, 984-994. (IF 6.6)
- 323.* Nestoriu, Y., **Rief**, W. & Martin, A. (2008). Meta-analysis of biofeedback for tension-type headache: efficacy, specificity, and treatment moderators. Journal of Consulting and Clinical Psychology, 76, 379-396.
324. Conradt, M., Dierk, J.M., Schlumberger, P., Rauh, E., Hebebrand, J. & **Rief**, W. (2008). Who copes well? Obesity-related coping and its associations to shame, guilt, and weight loss. Journal of Clinical Psychology 64, 1129-1144.
- 325.* Hilbert, A., **Rief**, W. & Brähler, E. (2008). Stigmatizing attitudes towards obesity in a representative population-based sample: prevalence and psychosocial determinants. Obesity, 16, 1529-1534.
326. Heinecke, K., Weise, N., Schwartz, K. & **Rief**, W. (2008). Physiological and psychological stress reactivity in chronic tinnitus. Journal of Behavioral Medicine, 31, 179-188.
327. Kühl, K., Schürmann, W. & **Rief**, W. (2008). Psychological disorders and quality of life in COPD patients and their spouses. International Journal of COPD 3, 727-736.
328. Ziegler, M., **Rief**, W., Werner, S.M., Mehl, S. & Lincoln, T.M. (2008). Hasty decision-making in a variety of tasks: Does it contribute to the development of delusions? Psychology and Psychotherapy 81, 237-245.
329. Nestoriu, Y., Martin, A., **Rief**, W. & Andrasik, F. (2008). Biofeedback Treatment for Headache Disorders: A Comprehensive Efficacy Review. Applied Psychophysiology and Biofeedback, 33, 125-140.
- 330.* Glombiewski, J.A., Tersek, J. & **Rief**, W. (2008). Muscular reactivity and specificity in chronic back pain patients. Psychosomatic Medicine, 70, 125-131.
331. Weise, C., Heinecke, K. & **Rief**, W. (2008). Stability of physiological variables in chronic tinnitus sufferers. Applied Psychophysiology and Biofeedback 33, 149-160.
- 332.* Mewes, R., **Rief**, W., Glaesmer, H., Martin, A. & Brähler, E. (2008). Lower decision threshold for doctor visits as a predictor of health care use in somatoform disorders and the general population. General Hospital Psychiatry 30(4): 331-337.
- 333.* Exner, C., Nehrkorn, B., Martin, V., Huber, M., Shiratori, K., **Rief**, W. (2008). Sex-dependent hippocampal volume reductions in schizophrenia relate to episodic memory deficits. Journal of Neuropsychiatry and Clinical Neurosciences 20, 227-30.
334. Buhlmann, U., Teachman, B., Gerbershagen, A., Kikul, J. & **Rief**, W. (2008). Implicit and explicit self-esteem and attractiveness beliefs among individuals with body dysmorphic disorder. Cognitive Therapy and Research 32, 213-235.
- 335.* Martin, V., Huber, M., **Rief**, W. & Exner, C. (2008). Comparative cognitive profiles of obsessive-compulsive disorder and schizophrenia. Archives of Clinical Neuropsychology 23, 487-500.
- 336.* **Rief**, W. & Rojas, G. (2007). Stability of somatoform symptoms – Implications for classification. Psychosomatic Medicine 69(9), 864-869.
- 337.* **Rief**, W., Conradt, M., Dierk, J.-M., Rauh, E., Schlumberger, P., Hinney, A. & Hebebrand, J. (2007). Is information on genetic determinants of obesity helpful or harmful for obese people? - A randomized clinical trial. Journal of General Internal Medicine 22, 1553-1559.
- 338.* **Rief**, W. (2007). Analyzing the problems in managing patients with medically unexplained symptoms. Journal of General Internal Medicine 22, 704-706.

- 339.** **Rief**, W. & Broadbent, E. (2007). Explaining medically unexplained symptoms- Models and mechanisms. *Clinical Psychology Review* 27, 821-841.(IF 6.8)
- 340.* **Rief**, W. & Isaac, M. (2007). Are somatoform disorders “mental disorders”? - A contribution to the current debate. *Current Opinion of Psychiatry* 20, 143-146.
- 341.** Petrie, K., Müller, T., Schirmbeck, F., Donkin, L., Broadbent, E., Ellis, C.J., Gamble, G. & **Rief**, W. (2007). Effect of providing information about normal test results on patients' reassurance: randomised controlled trial. *British Medical Journal* 334, 352-354. (IF 12.8)
342. Hinney, A., Nguyen, T.T., Scherag, A., Friedel, S., Brönner, G., Müller, T., **Rief**, W., Schäfer, H. & Hebebrand, J. (2007) Genome Wide Association (GWA) Study for Early Onset Extreme Obesity Supports the Role of Fat Mass and Obesity Associated Gene (FTO) Variants. *PLoS ONE* 2(12): e1361 doi:10.1371/journal.pone.0001361
- 343.* Martin, A., Büch, A., Schwenk, C. & **Rief**, W. (2007). Memory bias for health-related information in somatoform disorders. *Journal of Psychosomatic Research* 63, 663-671.
- 344.** Lincoln, T., Lüllmann, E. & **Rief**, W. (2007). Correlates and long-term consequences of poor insight in patients with schizophrenia. A systematic review. *Schizophrenia Bulletin* 33, 1324-1342.(IF 6.6).
- 345.* Hilbert, A., **Rief**, W. & Brähler, E. (2007). What determines public support of obesity prevention. *Journal of Epidemiology and Community Health* 61, 585-590.
- 346.** Lyon, H.N., Emilsson, V., Hinney, A., Heid, I.M., Lasky-Su, J., Zhu, X., Thorleifsson, G., Gunnarsdottir, S., Walters, G.B., Thorsteinsdottir, U., Kong, A., Nguyen, T.T., Scherag, A., Lichtner, P., Meitinger, T., Brönner, G., **Rief**, W., Soto-Quiros, M.E., Avila, L., Klanderman, B., Raby, B.A., Silverman, E.K., Weiss, S.T., Groop, L., Tuomi, T., Isomaa, B., Bengtsson, K., Butler, J.L., Cooper, R., Fox, C., O'Donnell, C., Vollmert, C., Celedón, J.C., Wichmann, H.E., Hebebrand, J., Stefansson, K., Lange, C., Hirschhorn, J. (2007). The association of a SNP upstream of *INSIG2* with Body Mass Index is reproduced in several but not all cohorts. *PLoS Genetics* 3(4): e61 .[1371/journal.pgen.0030061](https://doi.org/10.1371/journal.pgen.0030061)"doi:10.1371/journal.pgen.0030061 (IF 8.9)
- 347.* Martin, A., Chalder, T., **Rief**, W. & Brähler, E. (2007). The relationship between Chronic Fatigue and Somatisation Syndrome: a general population survey. *Journal of Psychosomatic Research* 63, 147-156.
- 348.* Martin, A., Rauh, E., Fichter, M.M., **Rief**, W.(2007). A one-session treatment for patients with unexplained physical symptoms. *Psychosomatics*, 48, 294-303.
349. Conradt, M., Dierk, J.M., Schlumberger, P., Rauh, E., Hebebrand, J. & **Rief**, W. (2007). Development of the weight- and body-related shame and guilt scale (WEG-SG) in a nonclinical sample of obese subjects. *Journal of Personality Assessment* 88, 317-327.
350. Schönfeld, S., Ehlers, A., Böllinghaus, I.& **Rief**, W. (2007). Overgeneral Memory and Suppression of Trauma Memories in Posttraumatic Stress Disorder. *Memory* 15, 339-352.
- 351.** **Rief**, W., Heitmüller, A.M., Reisberg, K., Rüddel, H. (2006). Why reassurance fails in patients with unexplained symptoms- An experimental investigation of remembered probabilities. *PLoS Medicine* 3 (8): e269. DOI: 10.1371/journal.pmed.0030269 (7 pages).(IF 12.2)
- 352.* **Rief**, W., Martin, A., Rauh, E., Bender, A.& Zech, T. (2006). Evaluation of General Practitioners' Training: “How to Manage Patients with Unexplained Physical Symptoms”. *Psychosomatics* 47, 304-311.
- 353.** **Rief**, W., Henningsen, P. & Hiller, W. (2006). Classification of somatoform disorders. *American Journal of Psychiatry*, 163, 746-747.(IF 8.3)
- 354.** **Rief**, W., Avorn, J.& Barsky, A.J. (2006). Medication-attributed adverse effects in placebo groups. Implications for assessment of adverse effects. *Archives of Internal Medicine*, 166(2): 155-160.(IF 9.1)
- 355.* **Rief**, W., Buhlmann, U., Wilhelm, S., Borkenhagen, A.& Brähler, E.(2006). The prevalence

Latest Impact Factors acc. to 2017; * 2.0 < IF < 5.0; ** IF >= 5.0

- of body dysmorphic disorder: A population-based survey. *Psychological Medicine* 36, 877-886.
356. Hiller, W., **Rief**, W. Brähler, E. (2006). Somatization in the population: From mild bodily misperceptions to disabling symptoms. *Social Psychiatry and Psychiatric Epidemiology*, 41, 704-712.
- 357.* Dierk, J.M., Conradt, M., Rauh, E., Schlumberger, P., Hebebrand, J., **Rief**, W. (2006). What determines well-being in obesity? – Associations with BMI, social skills, and social support. *Journal of Psychosomatic Research*, 60, 219-227.
- 358.** Hinney, A., Bettecken, Th., Brumm, H., Tarnow, P., Reichwald, K., Lichtner, P., Scherag, A., Schlumberger, P., **Rief**, W., Vollmert, C., Illig, T., Wichmann, H.E., Schäfer, H., Platzer, M., Biebermann, H., Meitinger, T.& Hebebrand, J. (2006). Prevalence, Spectrum and Functional Characterization of Melanocortin-4 Receptor Gene Variations in a Representative Population-based Sample and Obese Adults from Germany. *Journal of Clinical Endocrinology and Metabolism* 91(5), 1761-1769. (IF 6.3)
359. Timmer, B., Bleichhardt, G.& **Rief**, W.(2006). Importance of psychotherapy motivation in patients with somatization syndrome. *Psychotherapy Research* 16, 348-356.
- 360.* Nater, U., Gaab, J., **Rief**, W.& Ehlert, U. (2006). Recent trends in behavioral medicine. *Current Opinion in Psychiatry* 19, 180-183.
- 361.* Martin, A., **Rief**, W., Klaiberg, A.& Brähler, E.(2006). Validity of the Brief Patient Health Questionnaire Mood Scale (PHQ-9) in the General Population. *General Hospital Psychiatry*, 28, 71-77.
- 362.* Conradt, M., Cavanagh, M., Franklin, J. & **Rief**, W.(2006). Dimensionality of the Whiteley Index: An Australian sample of primary care patients. *Journal of Psychosomatic Research*, 60, 137-143.
- 363.* **Rief**, W., Weise, N., Kley, N., Martin, A.(2005). Psychophysiological treatment of chronic tinnitus: a randomized clinical trial. *Psychosomatic Medicine*, 67, 833-838.
- 364.* **Rief**, W., Martin, A., Klaiberg, A.& Braehler, E.(2005). Specific Effects of Depression, Panic, and Somatic Symptoms on Illness Behavior. *Psychosomatic Medicine*, 67, 596-601.
- 365.* **Rief**, W. & Barsky, A.J.(2005). A psychobiological perspective on somatoform disorders. *Psychoneuroendocrinology*, 30, 996-1002.
- 366.* Petrie, K.P., Broadbent, E., Kley, N., Moss-Morris, R., Horne, R., **Rief**, W. (2005). Worries about modernity predict symptom complaints following environmental pesticide spraying. *Psychosomatic Medicine*, 67, 778-782.
- 367.** Swarbrick, M.M., Waldenmeier, B., Pennacchio, L.A., Cavazos, M.M., Geller, F., Lind, D.L., Merriman, R., Ustaszewska, A., Malloy, M., Msueh, W.-C., **Rief**, W., Mauvais-Jarvis, F., Pullinger, C.R., Kane, J.P., Dent, R., Kwok, P.-Y., McPherson, R., Hinney, A., Hebebrand, J.& Vaisse, C. (2005). Lack of support for the association between GAD2 polymorphisms and the predisposition to severe human obesity. *Public Library of Science Biology PloS Biology* 3(9): e315 (10 pages). (IF 12.7).
368. Bleichhardt, G., Timmer, B.& **Rief**, W.(2005). Hypochondriasis among patients with multiple somatoform symptoms –Psychopathology and outcome of a cognitive-behavioral therapy. *Journal of Contemporary Psychotherapy*, 35, 239-234.
- 369.* Hiller, W. & **Rief**, W. (2005). Why DSM-III was right to introduce the somatoform disorders. *Psychosomatics* 46, 105-108.
- 370.* Kaptein, A.A., Helder, D.I., Kleijn, W.C., **Rief**, W., Moss-Morris, R.& Petrie, K.J. (2005). Modern health worries in medical students. *Journal of Psychosomatic Research* 58, 453-457.
- 371.* Hiller, W., Leibbrand, R., **Rief**, W.& Fichter, M.M.(2005). Differentiating hypochondriasis from panic disorder. *Journal of Anxiety Disorders* 19, 29-49.
372. Lincoln, T., **Rief**, W., Hahlweg, K., Frank, M., v. Witzleben, I., Schroeder, B.& Fiegenbaum,

- W.(2005). Who comes, who stays, who profits? Predicting refusal, drop-out, success and relapse in a short-term intervention for social phobia. *Psychotherapy Research* 15, 210-225.
- 373.* **Rief**, W.& Sharpe, M.(2004). Somatoform disorders –New approaches to classification, conceptualization and treatment. Editorial. *Journal of Psychosomatic Research* 56, 387-390.
- 374.* **Rief**, W., Nanke, A., Klaiberg, A.& Braehler, E. (2004). Base rates for panic and depression according to the Brief Patient Health Questionnaire (Brief PHQ): A population-based study. *Journal of Affective Disorders* 82, 271-276.
- 375.* **Rief**, W., Nanke, A., Bender, A.& Zech, T.(2004). Causal illness attributions in somatoform disorders: Associations with comorbidity and illness behaviour. *Journal of Psychosomatic Research* 57, 367-371.
- 376.* **Rief** W., Pilger, F., Ihle, D., Verkerk, R., Scharpe, S. & Maes, M. (2004). Psychobiological aspects of somatoform disorders: Contributions of monoaminergic transmitter systems. *Neuropsychobiology*, 49, 24-29.
- 377.**Rief**, W. & Nanke, A.(2004). Somatoform disorders in primary care and inpatient settings. *Advances in Psychosomatic Medicine*, 26, 144-158.
- 378.* Lincoln, T.& **Rief**, W.(2004). How much do sample characteristics affect the effect size? An investigation of studies testing the treatment effects for social phobia. *Journal of Anxiety Disorders* 18, 515-519.
- 379.* Nanke, A. & **Rief**, W.(2004). Biofeedback in somatoform disorders and related syndromes. *Current Opinion in Psychiatry* 17, 133-138.
- 380.* Bleichhardt, G., Timmer, B.& **Rief**, W.(2004). Cognitive-behavioural therapy for patients with multiple somatoform symptoms – a randomised controlled trial in tertiary care. *Journal of Psychosomatic Research* 56, 449-454.
- 381.* **Rief**, W., Ihle, D.& Pilger, F.(2003). A new approach to assess illness behaviour. *Journal of Psychosomatic Research*, 54, 405-414.
- 382.* **Rief**, W.& Hiller, W.(2003). A new approach to the assessment of the treatment effects of somatoform disorders. *Psychosomatics*, 44, 492-498.
- 383.* Lincoln, T., **Rief**, W., Hahlweg, K., von Witzleben, I., Schroeder, B.& Fiegenbaum, W. (2003). Effectiveness of an empirically supported treatment for social phobia in the field. *Behaviour Research and Therapy*, 41, 1251-1269.
- 384.Nanke, A. & **Rief**, W. (2003). Biofeedback-based interventions in somatoform disorders: a randomized controlled trial. *Acta Neuropsychiatrica*, 15, 249-256.
- 385.* Hiller, W., Fichter, M.M. & **Rief**, W.(2003). A controlled treatment study of somatoform disorders including analysis of healthcare utilization and cost-effectiveness. *Journal of Psychosomatic Research*, 54, 369-380.
- 386.* Hiller, W., Leibbrand, R., **Rief**, W.& Fichter, M.M.(2002). Predictors of course and outcome in hypochondriasis after cognitive-behavioral treatment. *Psychotherapy & Psychosomatics*, 71, 318-325.
- 387.* Hiller, W., **Rief**, W.& Fichter, M.M. (2002). Dimensional and categorical approaches to hypochondriasis. *Psychological Medicine*, 32, 707-718.
- 388.* **Rief**, W., Hessel, A., Brähler, E. (2001). Somatization symptoms and hypochondriacal features in the general population. *Psychosomatic Medicine*, 63, 595-602.
- 389.* **Rief**, W., Pilger, F., Ihle, D., Bosmans, E., Egyed, B.& Maes, M. (2001). Immunological differences between patients with major depression and somatization. *Psychiatry Research*, 105, 165-174.
- 390.* **Rief**, W. & Auer, C. (2001). Is somatization a habituation disorder? – Physiological reactivity in somatization syndrome. *Psychiatry Research*, 101, 63-74.
- 391.* Hiller, W., Cuntz, U., **Rief**, W.& Fichter, M.M.(2001). Searching for a gastrointestinal subgroup within the somatoform disorders. *Psychosomatics*, 42, 14-20.

392. * **Rief**, W.& Auer, C.(2000). Cortisol and Somatization. *Biological Psychology*, 53, 13-23.
- 393.* **Rief**, W., Trenkamp, S., Auer, C.& Fichter, M.M. (2000). Cognitive-behavior therapy in panic disorder and comorbid major depression: A naturalistic study. *Psychotherapy & Psychosomatics*, 69, 70-78.
- 394.* **Rief**, W.& Nanke, A. (1999). Somatisation disorder from a cognitive-psychobiological perspective. *Current Opinion in Psychiatry*, 12, 733-738.
- 395.* **Rief**, W. & Hiller, W. (1999). Toward empirically based criteria for the classification of somatoform disorders. *Journal of Psychosomatic Research*, 46, 507-518.
- 396.* **Rief**, W., Hiller, W. & Margraf, J. (1998). Cognitive aspects of hypochondriasis and the somatization syndrome. *Journal of Abnormal Psychology*, 107, 587-595.
- 397.* **Rief**, W.& Hiller, W. (1998). Somatization- Future perspectives on a common phenomenon. Editorial. *Journal of Psychosomatic Research*, 44, 529-536.
- 398.* **Rief**, W., Shaw, R. & Fichter, M.M. (1998). Elevated levels of psychophysiological arousal and cortisol in patients with somatoform disorders. *Psychosomatic Medicine*, 60, 198-203.
- 399.* Wise, K., **Rief**, W.& Goebel, G.(1998). Meeting the expectations of chronic tinnitus patients: Comparison of a structured group therapy programme for tinnitus management with a problem-solving group. *Journal of Psychosomatic Research*, 44, 681-686.
- 400.* Hiller, W., **Rief**, W.& Fichter, M.M. (1997). How disabled are patients with somatoform disorders? *General Hospital Psychiatry*, 19, 432-438.
- 401.* Fichter, M.M., Leibl, C., Krüger, R.& **Rief**, W. (1997). Effects of fluvoxamine on depression, anxiety, and other areas of general psychopathology in bulimia nervosa. *Pharmacopsychiatry*, 30, 85-92.
- 402.**Rief**, W., Heuser, J., Mayrhuber, E., Stelzer, I., Hiller, W.& Fichter, M.M. (1996). The classification of multiple somatoform symptoms. *The Journal of Nervous and Mental Disease*, 184, 680-687.
- 403.* **Rief**, W. & Hermanutz, M. (1996). Physiological, attentional, and affective responses to activation and repose in patients with major depression and panic disorders. *British Journal of Clinical Psychology*, 35, 605-616.
- 404.**Rief**, W., Heuser, J.& Fichter, M.M. (1996). What does the Toronto Alexithymia Scale TAS-R measure? *Journal of Clinical Psychology*, 52, 423-429.
- 405.* Fichter, M.M., Krüger, R., **Rief**, W. & Döhne, J. (1996). Fluvoxamine in the prevention of relapse in bulimia nervosa: effects on eating specific psychopathology. *Journal of Clinical Psychopharmacology*, 16, 9-18.
- 406.**Rief**, W., Hiller, W. & Fichter, M.M.(1995). Somatoform symptoms in depressive and panic syndromes. *International Journal of Behavioral Medicine*, 2, 51-65.
- 407.* **Rief**, W., Hiller, W., Geissner, E. & Fichter, M.M.(1995). A two-year follow-up study of patients with somatoform disorders. *Psychosomatics*, 36, 376-386.
- 408.* Hiller, W., **Rief**, W.& Fichter, M.M.(1995). Further evidence for a broader concept of somatization disorder using the Somatic Symptom Index (SSI). *Psychosomatics*, 36, 285-294.
- 409.* Fichter, M.M., Quadflieg, N. & **Rief**, W. (1994). Course of multi-impulsive bulimia. *Psychological Medicine*, 24, 591-604.
- 410.* Hiller, W., Goebel, G. & **Rief**, W.(1994). Reliability of self-rated tinnitus distress and association with psychological symptom patterns. *British Journal of Clinical Psychology*, 33, 231-239.
- 411.**Rief**, W., Stock, C., Geissner, E. & Fichter, M.M. When patient and psychotherapist have different opinions- discrepancies in the judgement of change. *German Journal of Psychology*.
- 412.Goebel, G., Keeser, W., Fichter, M.M., **Rief**, W. (1993). New aspects of complex tinnitus part II: The lost silence. *German Journal of Psychology*, 17, 67-68.

413. Wittchen, H.U., Essau, C.A., **Rief**, W. & Fichter, M.M.(1993). Assessment of somatoform disorders and comorbidity patterns with the CIDI-findings in psychosomatic inpatients. International Journal of Methods in Psychiatric Research, 3, 87-99.
414. **Rief**, W. & Fichter, M.M.(1992). The symptom check list (SCL-90R) and its ability to discriminate between dysthymia, anxiety disorders, and anorexia nervosa. Psychopathology, 25, 128-138.
- 415.* **Rief**, W., Schäfer, S., Hiller, H. & Fichter, M.M (1992). Lifetime diagnoses in patients with somatoform disorders- which came first? European Archives of Psychiatry and Clinical Neuroscience, 241, 236-240.
- 416.* **Rief**, W.(1991). Visual perceptual organization in schizophrenic patients. British Journal of Clinical Psychology, 30, 359-366.
- 417.* Fichter, M.M., Leibl, K., **Rief**, W., Brunner, E., Schmidt-Auberger, S. & Engel, R. (1991). Fluoxetine versus placebo : a double-blind study with bulimic inpatients receiving intensive psychotherapy. Pharmacopsychiatry, 24, 1-7.

German articles (peer review journals)/ Deutsche Artikel

- 418.Gottschalk, J.-M., Bleichhardt, G., Kleinstäuber, M., Berking, M., & **Rief**, W. (submitted). Erweiterung der kognitiven Verhaltenstherapie um Emotionsregulationstraining bei Patienten mit multiplen somatoformen Symptomen: Ergebnisse einer kontrollierten Pilotstudie. Verhaltenstherapie.
- 419.Ladwig, I., **Rief**, W., & Nestoriuc, Y. (2014). Hat Psychotherapie auch Nebenwirkungen? – Entwicklung des Inventars zur Erfassung Negativer Effekte von Psychotherapie (INEP). *Verhaltenstherapie, im Druck.*
- 420.Koch, S., Quadflieg, N., **Rief**, W.& Fichter, M.M.(2013). Purgung-Störung - eine eigenständige Diagnose? Ein Überblick zum aktuellen Stand der Forschung. PPmP, 63, 305-316.
- 421.Krannich, M., **Rief**, W., Martin, A.Brähler, E., Mewes, R.& Glaesmer, H. (2013). Wie wirken sich somatoforme und depressive Symptome und Syndrome auf die Lebenszufriedenheit aus? Ergebnisse einer bevölkerungsrepräsentativen Befragung in Deutschland. Psychotherapie, Psychosomatik, medizinische Psychologie 63, 217-224.
- 422.Mewes, R., **Rief**, W., Martin, A., Glaesmer, H.& Brähler, WE. (2013). Arbeitsplatzunsicherheit vs. Arbeitslosigkeit: Trotz der Unterschiede im sozioökonomischen Status sind die Auswirkungen auf psychische Gesundheit und Inanspruchnahme medizinischer Leistungen ähnlich. Psychotherapie, Psychosomatik, medizinische Psychologie 63, 138-144.
- 423.Fehlinger, T., Stumpenhorst, M., Beisel, S., Stenzel, N. & **Rief**, W. (2013). Zur Bedeutung von Fertigkeitsverbesserungen für den Therapieerfolg - eine transdiagnostische Untersuchung. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie.
- 424.Ruckmann, J. & **Rief**, W.(2013). Empathie: Neurowissenschaftliche Grundlagen, klinische Implikationen und offene Fragestellungen. Verhaltenstherapie, 23, 23-34.
- 425.Gottschalk, J.M. & Rief, W.(2012). Psychotherapeutische Ansätze bei Patienten mit somatoformen Störungen. Nervenarzt, 83, 1115-...
- 426.Harnisch, S., Schade-Brittinger, C.& **Rief**, W.(2012). Erfassung von Nebenwirkungen in der klinischen Forschung. DMW 137, 1-6.
- 427.Wambach, K. & **Rief**, W. (2012). Effekte kognitiver Verhaltenstherapie bei Panikstörung: Mehr Exposition bringt stabilere Therapieerfolge. Verhaltenstherapie 22, 95-106.
- 428.Doering, B.K. & **Rief**, W.(2012). Expectancy Optimized Trials (EXOT) – Offene

- Verumbedingungen in klinischen Studien. Zeitschrift für medizinische Psychologie.
429. **Rief**, W. (2011). Bringt DSM-V die Lösung für Klassifikationsprobleme bei Somatoformen Störungen? Zeitschrift für Psychiatrie, Psychologie und Psychotherapie, 59, 289-296.
430. **Rief**, W. (2011). Was bringt DSM-V? Zeitschrift für Psychiatrie, Psychologie und Psychotherapie, 59, 259-260.
431. **Rief**, W. (2011). Nebenwirkungen des ärztlichen Gesprächs. Münchener Medizinische Wochenschrift, 123(39): 31-34.
432. Zöckler, N., **Rief**, W., Kühl, K. & Kenn, K. (submitted). Krankheitsbezogene Ängste und depressive Symptome bei COPD-Patienten.
433. Stenzel, N., **Rief**, W., Kühl, K., Pinzer, S. & Kenn, K. (submitted). Progredienzangst und End-of Life-Ängste bei COPD - Zusammenhänge zu allgemeiner psychischer Symptomatik und Lebensqualität.
434. Albohn-Kühne , C. & **Rief**, W. (2011). Scham, Schuld und soziale Angst bei Adipositas mit "Binge-Eating"- Störung. Psychotherapie, Psychosomatik, medizinische Psychologie 61, 412-417.
435. Stenzel, N. & **Rief**, W. (2011). Operationalisierte Fertigkeitsdiagnostik zur Therapieplanung. Klinische Diagnostik und Evaluation, 4, 111-132.
436. Thöne, M.F., Schürmann, W., Kühl, K. & Rief, W. (2011). Chronisch obstruktive Lungenerkrankung (COPD): Lebensqualität und Belastung der Partner im Krankheitsverlauf. Psychotherapie, Psychosomatik, medizinische Psychologie 61, 70-81.
437. Kühl K, Kuhn C, Kenn K, **Rief** W. (2011). Der COPD-Angst-Fragebogen (CAF): Ein neues Instrument zur Erfassung krankheitsspezifischer Ängste bei COPD-Patienten. The COPD-Anxiety-Questionnaire (CAF): A New Instrument to Assess Illness Specific Anxiety in COPD Patients. *Psychotherapie, Psychosomatik, medizinische Psychologie*. 61:e1-e9.
438. Conrad, N., Döhring, B., **Rief**, W. & Exner, C. (in press). Lebenszielinterventionen in der Neurorehabilitation: Eine Metatechnik zur Individualisierung klassischer neuropsychologischer Therapieansätze
439. Brähler, E., Petermann, F. & Rief, W. (2010). Psychotherapie und Migration. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie, 58, 161-164.
440. Mewes, R., Rief, W., Martin, A., Glaesmer, H. & Brähler, E. (2010). Somatoforme Symptome, Angst und Depression bei Migranten aus der Türkei, aus Osteuropa und aus der ehemaligen Sowjetunion. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie, 58, 165-172.
441. Nilges, P. & **Rief**, W. (2010). F45.41 Chronische Schmerzstörung mit somatischen und psychischen Faktoren. Eine Kodierhilfe. Der Schmerz 24, 209-212.
442. Nestoriuc, Y. & **Rief**, W. (2010). Geschlechtsunterschiede beim Nocebo-Effekt in Antidepressiva-Studien. Zeitschrift für medizinische Psychologie 19, 175-179.
443. Schedden Mora, M.C., Bleichhardt, G., Weber, D., Neff, A. & **Rief**, W. (2010). Biofeedback bei Craniomandibulären Dysfunktionen. Psychotherapeut 55, 217-224.
444. Hartwich-Tersek, J., Glombiewski, J.A., Krumm, S. & **Rief**, W. (2009). Faktorstruktur und Validität des Inventars zur Erfassung der Kausal- und Kontrollattribution chronischer Schmerzpatienten (KAUKON). Klinische Diagnostik und Evaluation, 2, 247-270.
445. **Rief**, W. (2009). Editorial: Keine großen Überraschungen, aber interessante Anregungen: das Forschungsgutachten zur Psychotherapieausbildung ist da. Verhaltenstherapie 19, 140-144.
446. **Rief**, W. & Hofmann, S.G. (2009). Die Psychoanalyse soll gerettet werden. Mit allen Mitteln? Nervenarzt, 80, 593-597.
447. Petermann, F. & **Rief**, W. (2009). Chronische Depression. Editorial. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie, 57, 233-234.
448. Kraeling, S., Losekam, S., Götzky, B., **Rief**, W. & Hilbert, A. (im Druck). Der Einfluss

Latest Impact Factors acc. to 2017; * 2.0 < IF < 5.0; ** IF >= 5.0

gewichtsbezogener Diskriminierung auf Essstörungs- und allgemeine Psychopathologie bei Kindern und Jugendlichen mit und ohne Migrationshintergrund. Psychotherapie, Psychosomatik, medizinische Psychologie.

449. Stenzel, N., Krumm, S. & **Rief**, W. (2010). Therapieplanung mit Hilfe des Interviews zur operationalisierten Fertigkeitsdiagnostik (OFD): Evaluation an einer klinischen Stichprobe. Verhaltenstherapie 20, 109-118.
450. Wambach, K. & **Rief**, W. Praktische Erfahrungen mit dem Cognitive behavioral analysis system of psychotherapy (CBASP): Ein Fallbericht. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie 57, 277-284.
451. Buhlmann, U., Wilhelm, S., Brähler, E. & **Rief**, W. (2009). Fragebogen körperdysmorpher Symptome (FKS): Ein Screening-Instrument zur Erfassung der Körperdysmorphen Störung. Verhaltenstherapie 19, 237-242.
452. Exner, C., Döring, B., Conradt, N. & **Rief**, W. (2010). Integration von Verhaltenstherapie und Neuropsychologie. Vorstellung eines ambulanten Behandlungsansatzes für kognitive und emotional-motivationale Störungen nach erworbenen Hirnschädigungen. Verhaltenstherapie 20, 119-126.
453. Doering, B.K., Conrad, N., **Rief**, W. & Exner, C. (2010). Selbstkonzept nach erworbenen Hirnschädigungen: Veränderungen der Selbstwahrnehmung und Subjektives Wohlbefinden. Zeitschrift für Neuropsychologie 21, 39-50.
454. Mewes, R., Christ, O., **Rief**, W., Glaesmer, H., Martin, A. & Brähler, E. (2010). Sind Vergleiche im Depressions- und Somatisierungsausmaß zwischen Migranten und Deutschen möglich? Eine Überprüfung der Messinvarianz für den PHQ-9 und PHQ-15. Diagnostica 56, 230-239.
455. Mewes, R. & **Rief**, W. (2009). Sind somatoforme Beschwerden und Kausalattributionen bei türkischen Migranten durch den kulturellen Hintergrund oder den Migrationsprozess bestimmt? Zeitschrift für medizinische Psychologie 18, 135-139.
456. Mewes, R., Christ, O. & **Rief**, W. (2009). Ein Vorgehen zur Überprüfung psychometrischer Kennwerte in der Migrationsforschung. Klinische Diagnostik und Evaluation, 2, 106-118.
457. Kühl, K., Schürmann, W. & **Rief**, W. (2009). COPD-Disability-Index (CDI) – ein neues Verfahren zur Erfassung der COPD-bedingten Beeinträchtigung. Pneumologie 63, 136-143.
458. Martin, A., Staufenbiel, T., Gaab, J., **Rief**, W. & Brähler, E. (2010). Messung chronischer Erschöpfung – Teststatistische Prüfung und Normierung der Fatigue Skala (FS). Zeitschrift für klinische Psychologie und Psychotherapie 39, 33-44.
459. Ziegler, M., **Rief**, W. & Lincoln, T.M. (2009). Leistet voreiliges Schlussfolgern einen Beitrag zur Entstehung und Aufrechterhaltung von Wahn? Ein systematisches und quantitatives Review. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie 57, 125-136.
460. **Rief**, W. (2008). 450 Millionen Euro Sondermittel für Verhaltenstherapie - Ist die britische Initiative für psychisch Kranke ein Modell für Deutschland? Verhaltenstherapie 18, 212-213.
461. Bachmann, M., Bachmann, U., **Rief**, W. & Mattejat, F. (2008). Wirksamkeit psychiatrischer und psychotherapeutischer Behandlungen bei psychischen Störungen von Kindern und Jugendlichen – Eine systematische Auswertung von Metaanalysen und Reviews. Teil I: Angststörungen und depressive Störungen. Zeitschrift für Kinder- und Jugendpsychiatrie und Psychotherapie 36, 309-320.
462. Bachmann, M., Bachmann, U., **Rief**, W. & Mattejat, F. (2008). Wirksamkeit psychiatrischer und psychotherapeutischer Behandlungen bei psychischen Störungen von Kindern und Jugendlichen – Eine systematische Auswertung von Metaanalysen und Reviews. Teil II: ADHS und Störungen des Sozialverhaltens. Zeitschrift für Kinder- und Jugendpsychiatrie und Psychotherapie 36, 321-333.
463. Ried, J., Dabrock, P., Schneider, D., Voit, W., **Rief**, W. & Hilbert, A. (2009). Verantwortung für die eigene Gesundheit. Eine interdisziplinäre Diskussion am Beispiel der Adipositas. Das

Gesundheitswesen. Epub ahead.

- 464.Hilbert, A., Ried, J., **Rief**, W..& Brähler, E.(2009). Stigmatisierende Einstellungen zur Adipositas in der Deutschen Bevölkerung. *Adipositas* 3, 142-147.
- 465.Lincoln, T.M., Keller, E., & **Rief**, W. (2009). Die Erfassung von Wahn und Halluzinationen in der Normalbevölkerung. Deutsche Adaptationen des Peters et al. Delusions Inventory (PDI) und der Launay Slade Hallucination Scale (LSSHS-R). *Diagnostica* 55, 29-40.
- 466.Nestoriuc, Y., Rustenbach, S.J., Martin, A. & **Rief**, W. (submitted). Wie robust sind Metaanalysen? Notwendigkeit zur Sensitivitätsanalyse meta-analytischer Befunde am Beispiel fehlender Werte.
- 467.Trapp, K., Glombiewski, J.A., Hartwich-Tersek, J.& **Rief**, W.(2009). Rentenbegehren und die Therapie chronischer Rückenschmerzen - Die Relevanz sozialmedizinischer Variablen bei ambulanter psychotherapeutischer Behandlung. *Der Schmerz* 23, 166-172.
- 468.Glaesmer, H., Wittig, U., Brähler, E., Martin, A., Mewes, R. & **Rief**, W.(2009). Sind Migranten häufiger von psychischen Störungen betroffen? Eine Untersuchung an einer repräsentativen Stichprobe der deutschen Bevölkerung. *Psychiatrische Praxis* 36, 16-22.
- 469.Mangels, M., Schwarz, S., Sohr, G., Holme, M. & **Rief**, W. (2009). Der Fragebogen zur Erfassung der schmerzspezifischen Selbstwirksamkeit (FESS): Eine Adaptation des Pain Self-Efficacy Questionnaire für den deutschen Sprachraum. *Diagnostica* 55, 84-93.
- 470.Heinecke, K., Weise, C., & **Rief**, W. (2010). Chronischer Tinnitus: Für wen ist eine ambulante Kurzzeitpsychotherapie indiziert? *Psychotherapie, Psychosomatik, medizinische Psychologie* 60, 271-278.
- 471.Hartwich-Tersek, J., Glombiewski, J.A. & **Rief**. W. (2008). Positive Effekte von Informationsvermittlung im Rahmen einer kognitiven Verhaltenstherapie bei Patienten mit chronischen Rückenschmerzen. *Verhaltenstherapie* 18, 153-161.
- 472.Glaesmer, H., Gunzelmann, T., Martin, A., Brähler, E. & **Rief**, W. (2008). Die Bedeutung psychischer Beschwerden für die medizinische Inanspruchnahme und das Krankheitsverhalten Älterer. *Psychiatrische Praxis* 35, 187-193.
- 473.Mewes, R. & **Rief**, W. (2008). Somatoforme Störungen und Hypochondrie. *Psychiatrie und Psychotherapie up2date* 2, 189-200.
- 474.Schwarz, S., Mangels, M., Sohr, G., Holme, M., Worringen, U. & **Rief**, W.(2008). Patienten mit vs. ohne psychische Störung in der orthopädischen Rehabilitation. *Schmerz*, 22, 67-74.
- 475.Trapp, K.& **Rief**, W.(2007). Beschwerden ohne organische Ursache – Somatoforme Störungen. *Der Neurologe & Psychiater* 8, 26-31.
- 476.Kühl, K., Schürmann, W. & **Rief**, W.(2007). Entwicklung eines Kinderasthmafragebogens (KAF). *Verhaltenstherapie*, 17, 261-270.
- 477.Weise, C., Heinecke, K.& **Rief**, W. (2007). Biofeedbackgestützte Behandlung des chronisch komplexen Tinnitus – Vorstellung eines Behandlungsleitfadens, Wirksamkeit und Akzeptanz der Therapie. *Verhaltenstherapie*, 17, 220-232.
- 478.Hilbert, A., **Rief** W. & Brähler, E. (in press). Problembewusstsein und Einstellungen zur Adipositasprävention: Eine repräsentative Surveyuntersuchung. *Psychotherapie, Psychosomatik, medizinische Psychologie*.
- 479.**Rief**, W. (2007). Die Macht der Erwartungen. Editorial. *Verhaltenstherapie*, 17, 217-218.
- 480.**Rief**, W., Hautzinger, M., Rist, F., Rockstroh, B.& Wittchen, H.U.(2007). Klinische Psychologie und Psychotherapie: Eine Standortbestimmung in der Psychologie. *Psychologische Rundschau* 58, 249-259.
- 481.**Rief**, W. (2007). Körperliche Beschwerden bei psychischen Störungen. Editorial. *Zeitschrift für Psychiatrie, Psychologie und Psychotherapie*, 55, 5-7.
- 482.Schwarz, S., Mangels, M., Sohr, G., Holme, M. & **Rief**, W. (2007). Welche klinische Bedeutung hat die Vorabzuweisung von Patienten zur orthopädischen versus zur

- verhaltensmedizinisch-orthopädischen stationären Rehabilitation durch den Rentenversicherungsträger? Die Rehabilitation 46, 323-332.
- 483.Hilbert, A., Ried, J., Schneider, D., Juttner, C., Sosna, M., Dabrock, P., Lingenfelder, M., Voit, W., **Rief, W.**& Hebebrand, J.(2007). Primäre Prävention der Adipositas bei erwachsenen. Eine interdisziplinäre Analyse. Herz, 32, 542-552.
- 484.Trapp, K.& **Rief, W.**(2007). Beschwerden ohne organische Ursache – Somatoforme Störungen. Der Neurologe & Psychiater, 11/07, 26-32.
- 485.Lincoln, T. & **Rief, W.** (2007). Kognitive Verhaltenstherapie von Wahn und Halluzinationen: Grundlagen, Modelle, therapeutisches Vorgehen und Evidenz. Zeitschrift für Klinische Psychologie und Psychotherapie, 36, 164-175.
- 486.Hennings, A., Hilbert, A., Thomas, J., Siegfried, W. & **Rief, W.**(2007). Reduktion der Stigmatisierung Übergewichtiger bei Schülern: Auswirkungen eines Informationsfilms. Psychotherapie, Psychosomatik, medizinische Psychologie 57, 242-247.
- 487.Schneider, J. & **Rief, W.** (2007). Selbstwirksamkeitserwartungen und Therapieerfolg bei Patienten mit Anhaltender somatoformer Schmerzstörung. Zeitschrift für klinische Psychologie und Psychotherapie, 36, 46-56.
- 488.Dierk, J.M., Conradt, M., Schlumberger, P., Rauh, E., Albohn, C., Hinney, A., Hebebrand, J. & **Rief, W.** (2006). Beratung unter Berücksichtigung genetischer Aspekte bei Adipositas – Auswirkungen auf Körperakzeptanz und subjektives Wohlbefinden der Betroffenen. Verhaltenstherapie, 16, 193-200.
- 489.Daig, I., Albani, C., **Rief, W.** & Brähler, E.(2006). Körperförmige Störung: Welche Rolle spielt die Diskrepanz zwischen Ideal- und Realkörperbild? Psychotherapie, Psychosomatik, medizinische Psychologie 56, 259-267.
- 490.**Rief, W.** (2006). Verhaltenstherapie bei körperlichen Beschwerden. Verhaltenstherapie, 16, 244-245.
- 491.**Rief, W.** (2006). Psychische Aspekte bei körperlichen Krankheiten – Leitlinien in der Verhaltensmedizin. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie 54, 13-22.
- 492.Timmer, B.& **Rief, W.** (2006). Die verhaltenstherapeutische Behandlung von Patienten mit somatoformen Störungen im Rahmen der stationären Rehabilitation. Verhaltenstherapie und Verhaltensmedizin Heft 3.
- 493.Bleichhardt, G., Timmer, B.& **Rief, W.**(2005). Prädiktoren für den direkten und längerfristigen Therapieerfolg bei Patienten mit somatoformen Störungen nach verhaltenstherapeutischer Behandlung. Zeitschrift für Klinische Psychologie, Psychiatrie und Psychotherapie, 53, 40-57.
- 494.Dinkel, A., Berth, H., Exner, C., **Rief, W.**& Balck, F.(2005). Reliabilität und Validität der deutschen Form der Restraint Scale zur Erfassung gezielten Essverhaltens. Diagnostica, 51, 67-74.
- 495.Hessel, A., Geyer, M., Gunzelmann, E., **Rief, W.**& Brähler, E.(2005). Diagnostik somatoformer Beschwerden im Alter. Zeitschrift für Gerontopsychologie und –psychiatrie, 18, 189-201.
- 496.**Rief, W.**, Sanders, E., Günther, M.& Nanke, A.(2004). Aufmerksamkeitslenkung bei Tinnitus: Eine experimentelle psychophysiologische Untersuchung. Zeitschrift für Klinische Psychologie und Psychotherapie, 33, 230-236.
- 497.Hebebrand, J., Dabrock, P., Lingenfelder, M., Mand, E., **Rief, W.**& Voit, W. (2004). Ist Adipositas eine Krankheit? Medizinische, molekulargenetische, psychologische, sozialethische, rechtliche und ökonomische Perspektiven. Deutsches Ärzteblatt 101, 2468-2474.
- 498.Timmer, B., Bleichhardt, G.& **Rief, W.**(2004). Effektivität einer stationären Gruppentherapie für somatoforme Störungen. Ergebnisse einer kontrolliert-randomisierten Therapieevaluationsstudie. Zeitschrift für Klinische Psychologie und Psychotherapie 33,

24-32.

- 499.Hiller, W., Kroymann, R., Leibbrandt, R., Cebulla, M., Korn, H.J., **Rief, W.**& Fichter, M.M. (2004). Wirksamkeit und Kosten-Nutzen-Effekte der stationären Therapie somatoformer Störungen. *Fortschritte der Neurologie und Psychiatrie*, 72, 136-146.
- 500.**Rief, W.**(2003). Wege und Abwege der Neuropsychologischen Therapie. Kommentare zum Artikel von S. Gauggel: Grundlagen und Empirie der Neuropsychologischen Therapie. *Zeitschrift für Neuropsychologie*, 14, 247-249.
- 501.**Rief, W.**, Auer, C., Wambach, K.& Fichter, M.M.(2003). „Wenn's nicht nur bei der Panikstörung bleibt“ – Behandlung von Personen mit Panikstörung und zusätzlicher Depression. *Zeitschrift für Klinische Psychologie und Psychotherapie*, 32, 210-218.
- 502.Nanke, A.& **Rief, W.** (2003). Zur Inanspruchnahme medizinischer Leistungen bei Patienten mit somatoformen Störungen. *Psychotherapeut* 48, 329-335.
- 503.Dinkel, A., Berth, H., Exner, C., **Rief, W.**& Balck, F.(2003). Psychische Symptome bei Studentinnen in Ost- und Westdeutschland: Eine Replikation nach 10 Jahren. *Verhaltenstherapie*, 13, 184-191..
- 504.Hinz, A., **Rief, W.**& Brähler, E.(2003). Hypochondrie in der Allgemeinbevölkerung: Teststatistische Prüfung und Normierung des Whiteley – Index. *Diagnostica*, 49, 34-42.
- 505.**Rief, W.**, Bleichhardt, G.& Timmer, B.(2002). Gruppentherapie für somatoforme Störungen – Behandlungsleitfaden, Akzeptanz und Prozessqualität. *Verhaltenstherapie*,12, 183-191.
- 506.Müller-Svitak, S., Reinecker, H., **Rief, W.**& Fichter, M.M.(2002). Die kognitiv-verhaltenstherapeutische Behandlung von Patienten mit Zwangsstörungen: Ein stationäres Gruppentherapieprogramm. *Verhaltenstherapie*, 12, 108-115.
- 507.**Rief, W.**, Cuntz, U.& Fichter, M.M.(2001). Diagnostik und Behandlung somatoformer Störungen (funktioneller körperlicher Beschwerden). *Versicherungsmedizin*, 53, 12-17.
- 508.Svitak, M., **Rief, W.**& Goebel, G.(2001). Kognitive Therapie des chronischen dekompensierten Tinnitus. *Psychotherapeut* 46, 317-325.
- 509.**Rief, W.** (2000). Behandlung somatoformer Störungen. *Psychiatrica Danubina*, 12, 199-204.
- 510.Nanke, A.& **Rief, W.** (2000). Biofeedback-Therapie bei somatoformen Störungen. *Verhaltenstherapie*, 10, 238-248.
- 511.Wambach, K.& **Rief, W.**(2000). Somatoforme Störungen. *Psychotherapeuten-Forum Praxis und Wissenschaft*, 7, Heft 4, 13-17.
- 512.Hiller, W.& **Rief, W.**(2000). Diagnostik und Differentialdiagnostik somatoformer Störungen. *Psycho*, 26.
- 513.Heuser, J.& **Rief, W.**(2000). Therapie somatoformer Störungen. *Psycho*, 26.
- 514.**Rief, W.**(1999). Funktionelle körperliche Beschwerden- Ein Leitfaden zur Diagnostik und Behandlung somatoformer Störungen. *Münchener Medizinische Wochenschrift MMW*, 141, 32-35.
- 515.**Rief, W.**& Fichter, M.M. (1998). Somatoforme Störungen- Spiegel des modernen Gesundheitsverständnisses und Herausforderung für das Gesundheitswesen. *Verhaltenstherapie*, 8, 78-80.
- 516.Hiller, W.& **Rief, W.**(1998). Therapiestudien zur Behandlung von Patienten mit somatoformen Störungen: Ein Literaturüberblick. *Verhaltenstherapie*, 8, 125-136.
- 517.**Rief, W.**, Hiller, W.& Fichter, M.M. (1997). Somatoforme Störungen- Mehr als alter Wein in neuen Schläuchen? *Psychotherapie in Psychiatrie, Psychotherapeutischer Medizin und Klinischer Psychologie*, 2, 59-60.
- 518.**Rief, W.**, Hiller, W.& Fichter, M.M. (1997). Somatoforme Störungen- diagnostische und therapeutische Richtlinien bei funktionellen körperlichen Beschwerden. *Nervenheilkunde*, 16, 25-29.

- 519.Hiller, W.& **Rief**, W.(1997). Was sind somatoforme Störungen? Diagnosen, Modelle und Instrumente. Psychotherapie in Psychiatrie, Psychotherapeutischer Medizin und Klinischer Psychologie, 2, 61-70.
- 520.Hiller, W., **Rief**, W., Elefant, S., Margraf, J., Kroymann, J., Leibbrand, R.& Fichter, M.M. (1997). Dysfunktionale Kognitionen bei Patienten mit Somatisierungssyndrom. Zeitschrift für Klinische Psychologie, 26, 226-234.
- 521.Hermanutz, M. & **Rief**, W.(1997). Beeinflußt körperliche Aktivierung kognitive und affektive Reaktionsmuster bei Gesunden, Depressiven und Panikpatienten? Zeitschrift für Klinische Psychologie, 26, 99-108.
- 522.**Rief**, W. (1996). Die somatoformen Störungen- Großes unbekanntes Land zwischen Psychologie und Medizin. Zeitschrift für Klinische Psychologie, 25, 173-189.
- 523.**Rief**, W., Heuser, J.& Fichter, M.M. (1996). Biofeedback- ein therapeutischer Ansatz zwischen Begeisterung und Ablehnung. Verhaltenstherapie, 6, 43-50.
- 524.**Rief**, W. & Shaw, R. (1995). Psychotherapeutische Behandlung der Adipositas. Psychomed, 7, 96-103.
- 525.**Rief**, W., Hiller, W., Goebel, G. & Fichter, M.M.(1995). Zur zeitlichen Stabilität der Angaben hypochondrischer und somatoformer Symptome. Diagnostica, 41, 172-180.
- 526.**Rief**, W., Stock, C., Geissner, E. & Fichter, M.M. (1994). Wenn Patient und Therapeut unterschiedlicher Meinung sind- Diskrepanzen in Veränderungsurteilen. Psychotherapie, Psychosomatik, Medizinische Psychologie, 44, 235-239.
- 527.**Rief**, W., Hiller, W., Geissner, E. & Fichter, M.M. (1994). Hypochondrie: Erfassung und erste klinische Ergebnisse. Zeitschrift für Klinische Psychologie, 23, 34-42.
- 528.**Rief**, W. (1994). Ein Plädoyer für eine praxisorientierte Psychotherapieforschung. Report Psychologie, 19, 16-19.
- 529.Hermanutz, M. & **Rief**, W. (1994). Der Einfluß von niedrigen Blutalkoholkonzentrationen auf die Aufmerksamkeit. Sucht, 40, 80-88.
- 530.**Rief**, W., Fottner, A. & Hautzinger, M. (1993). Informationsverarbeitungsprozesse bei Patienten mit Panikstörungen. Zeitschrift für Klinische Psychologie, 22, 49-61.
- 531.**Rief**, W., Schäfer, S. & Fichter, M.M. (1992). SOMS: Ein Screening-Verfahren zur Identifizierung von Personen mit Somatoformen Störungen. Diagnostica, 38, 228-241.
- 532.**Rief**, W. & Kohli, G. (1991). Die Angstattacke: Von einem organmedizinischen Krankheitsmodell zu einem psychophysiologischen Verständnis. Psychomed, 3, 83-86.
- 533.**Rief**, W., Greitemeyer, M.& Fichter, M.(1991). Die Symptom Check List SCL-90 R : Überprüfung an 900 psychosomatischen Patienten. Diagnostica, 37, 58-65.
- 534.**Rief**, W., Stock, C. & Fichter, M.M. (1991). Das Anti-Diät-Programm als integrativer Therapiebaustein bei anorektischen, bulimischen und adipösen Patienten. Verhaltenstherapie, 1, 47-54.
- 535.**Rief**, W., Leibl, C. & Fichter, M.M. (1991). Ambulante psychotherapeutische Vorbehandlungen bei Patienten einer medizinisch-psychosomatischen Klinik. Verhaltenstherapie, 1, 219-222.
- 536.Goebel, G., Keeser, W., Fichter, M.& **Rief**, W. (1991). Neue Aspekte des komplexen chronischen Tinnitus. Teil 1. Überprüfung eines multimodalen verhaltensmedizinischen Behandlungskonzeptes. Psychotherapie, Psychosomatik, Medizinische Psychologie, 41, 115-122.
- 537.Goebel, G., Keeser, W., Fichter, M.& **Rief**, W. (1991). Neue Aspekte des komplexen chronischen Tinnitus. Teil 2. Die verlorene Stille : Auswirkungen und psychotherapeutische Möglichkeiten beim komplexen chronischen Tinnitus. Psychotherapie, Psychosomatik, Medizinische Psychologie, 41, 123-133.
- 538.**Rief**, W.(1989). Visuelle Wahrnehmung bei chronisch Schizophrenen. Zeitschrift für

- Klinische Psychologie, 18, 278-284.
- 539.Ferstl, R., **Rief**, W.& Naumann, D.(1985). Zur Psychophysiolgie der mimischen Muskelaktivität. Archiv für Psychologie, 137, 273-290.

Book Chapters / Buchkapitel

English:

- 540.Doering, B.K. & **Rief**, W.(2013). Nocebos in Daily Clinical Practice. In: Colloca L, Flaten MA, Meissner K, eds. *Placebo and Pain: From Bench to Bedside*. Academic Press
- 541.**Rief**, W.(2012). Somatization. In M.D. Gellman & J.R. Turner (eds.). Encyclopedia of Behavioral Medicine. Springer: New York.
- 542.**Rief**, W.(2012). Somatoform Disorders. In M.D. Gellman & J.R. Turner (eds.). Encyclopedia of Behavioral Medicine. Springer: New York.
- 543.Bleichhardt, G. & **Rief**, W.(in press). Hypochondriasis. In Asmundson,
- 544.**Rief**, W. & Rojas, G.(2009). Stability of somatoform disorders. In Dimsdale, J.E., Xin, Y., Kleinman, A., Patel, V., Narrow, W.E., Sirovatka, P.J. & Regier, D.A.(Eds.). Somatic Presentations of Mental Disorders. Refining the Research Agenda for DSM-V. APA: Arlington, Virginia.
- 545.Hofmann, S.G., Richey, J.A., Sawyer, A., Asnaani, A. & **Rief**, W. (2009). Social anxiety and the DSM-V. In McKay, D., Abramowitz, J., Taylor, S. & Asmundson, G.J.G.(Eds.). Current Perspectives on the Anxiety Disorders: Implications for DSM-V and Beyond. New York: Springer.
- 546.Hofmann, S.G., **Rief**, W. & Spiegel, D.A.(2009). Psychotherapy for panic disorder. In D. Stein, E. Hollander, and B. Rothbaum (Eds.). *Textbook of Anxiety Disorders* (Second Edition). Washington, D. C.: American Psychiatric Association. Pp. 417-434.
- 547.**Rief**, W.(2005). The specificity of chronic fatigue, neurasthenia, and somatoform disorders. In Maj, M., Akishal, H.S., Mezzich, J.E.& Okasha, A.(Eds.). Somatoform Disorders. Series of the World Psychiatric Association (WPA) on "Evidence and Experience in Psychiatry". Washington: APA, pp. 313-316.
- 548.**Rief**, W. & Exner, C.(2002). Psychobiology of somatoform disorders. In D'Haenen H., den Boer J.A., Westenberg H & Willner P. (Eds.). Biological Psychiatry. London: John Wiley & Sons. Pp. 1063-1077.
- 549.**Rief**, W.& Hiller, W. (in press). The management of somatization. In Janca, A. et al.(Eds.). Somatoform Disorders- A worldwide perspective. Published by the World Health Organization WHO, Geneva.
- 550.**Rief**, W.& Hiller, W.(1999). The psychological treatment of somatoform disorders. In Y. Ono, A. Janca, M. Asai & N. Sartorius (Eds.). Somatoform Disorders: A Worldwide Perspective. Tokyo: Springer. pp.212-217.
- 551.Hiller, W. & **Rief**, W. (in press). Diagnosis, classification and assessment of somatoform disorders. In Janca, A. et al.(Eds.). Somatoform Disorders- A worldwide perspective. Published by the World Health Organization WHO, Geneva.
- 552.Hiller, W.& **Rief**, W. (1999). Psychotherapy of somatoform disorders. In Y. Ono, A. Janca, M. Asai & N. Sartorius (Eds.). Somatoform Disorders: A Worldwide Perspective. Tokyo: Springer. pp. 205-211.
- 553.Goebel, G., Hiller, W., **Rief**, W.& Fichter, M.M.(1998). Integrative behavioural medicine in-patient treatment concept for complex chronic tinnitus. Evaluation of therapy and long-term effects. In G. Goebel (Ed.). *Tinnitus- Psychosomatic Aspects of Complex Chronic Tinnitus*. London: Quintessenz.
- 554.Fichter, M.M., Quadflieg, N., **Rief**, W. & Leibl, C. (1994). Risk factors for an unfavourable

Latest Impact Factors acc. to 2017; * 2.0 < IF < 5.0; ** IF >= 5.0

- course of Bulimia Nervosa. In Beigel, A. et al. (Eds.). Proceedings of the World Congress on Psychiatry Rio de Janeiro June 1993. North Holland: Elsevier.
555. Fichter, M.M., Quadflieg, N. & **Rief**, W. (1992). The German Longitudinal Bulimia Nervosa Study I. In Herzog, W., Deter, H.C. & Vandereycken, W. (Eds.). The Course of Eating Disorders. Berlin : Springer (pp 133-149).
- Book Chapters in German/ Deutsche Buchkapitel:**
556. Nestoriuc, Y.A. & Rief, W. (2012). Risiken und Nebenwirkungen von Verhaltenstherapie. In M. Linden & B. Strauß (Hrsg.). Risiken und Nebenwirkungen von Psychotherapie. Erfassung, Bewältigung, Risikovermeidung. Berlin: Med. Wiss. Verlagsgesellschaft.
557. **Rief**, W. & Hilbert, A. (2008). Ist Adipositas eine psychologische Krankheit? In Hilbert, A., Dabrock, P. & Rief, W. (Hrsg.). Gewichtige Gene. Bern: Huber-Verlag.
558. **Rief**, W. (2008). Stichwort Verhaltensmedizin. In H. Berth, F. Balck & E. Braehler (Hrsg.). Medizinische Psychologie und medizinische Soziologie von A – Z. Göttingen: Hogrefe. P. 540-543.
559. Martin, A. & **Rief**, W. (2009). Biofeedback. In M. Hautzinger und P. Pauli (Hrsg.). Enzyklopädie der Psychologie, Band Psychologische Interventionsmethoden, Psychotherapeutische Methoden. Göttingen: Hogrefe.
560. Wambach, K. & **Rief**, W. (2007). Fallbeispiel: Somatoforme Störungen. In Stieglitz, R., Baumann, U. & Perrez, M. Klinische Psychologie und Psychotherapie – Fallbeispiele. Bern: Huber-Verlag.
561. **Rief**, W. (2006). Eine Epidemie breitet sich aus: Zur Klassifikation, Prävalenz und Relevanz der Adipositas. In Hilbert, A. & Rief, W. (Hrsg.) Adipositas-Prävention. Bern: Huber-Verlag. Pp. 17-34.
562. Martin, A. & Rief, W. (2006). Somatoforme Störungen. In Wittchen, H.U. & Hoyer, J. (Hrsg.). Lehrbuch Klinische Psychologie und Psychotherapie. Berlin: Springer.
563. Hilbert, A. & **Rief**, W. (2006). Einleitung. In Hilbert, A. & Rief, W. (Hrsg.) Adipositas-Prävention. Bern: Huber-Verlag. Pp. 11-16.
564. **Rief**, W. & Freyberger, H. (2005). Somatoforme Störungen. In Förstl, H., Hautzinger, M. & Roth, G. (Hrsg.). Neurobiologie psychischer Störungen. Heidelberg: Springer.
565. **Rief**, W. & Arolt, V. (2005). Neue Ergebnisse zu somatoformen Störungen. In Voderholzer, U. & Hohagen, F. (Hrsg.). Therapie psychischer Erkrankungen – State of the Art. München: Urban & Fischer, pp. 189-200.
566. **Rief**, W. (2005). Somatoforme und Schmerzstörungen. In R.M. Friebös, M. Berger, U. Koch & M. Zaudig (Hrsg.). Rehabilitation psychischer Störungen. München: Urban & Fischer.
567. Timmer, B. & **Rief**, W. (2005). Symptome ohne Befund. In Köllner, V. & Broda, M. (Hrsg.). Praktische Verhaltensmedizin. Stuttgart: Thieme. Pp. 144-154.
568. **Rief**, W. & Henningsen, P. (2005). Somatoforme Störungen. M. Senf & M. Broda (Hrsg.). Praxis der Psychotherapie. 3. Aufl. Stuttgart: Thieme. Pp. 529-545.
569. **Rief**, W. (2004). Organisationsstrukturen des Arbeitsfeldes – stationärer Bereich. In W. Hiller & S. Sulz (Hrsg.). Grundlagen der Psychotherapie. CIP-Medien: München.
570. Nanke, A. & **Rief**, W. (2004). Somatoforme Störungen. In Vaitl, D. & Petermann, F. (Hrsg.). Handbuch der Entspannungsverfahren. Weinheim: Beltz PVU. Pp. 306-319.
571. Nanke, A. & **Rief**, W. (2003). Biofeedback. In W. Hiller & S. Sulz (Hrsg.). Grundlagen der Psychotherapie. CIP-Medien: München. Pp. 157-168.
572. **Rief**, W. & Nanke, A. (2002). Psychologische Grundkonzepte der Verhaltensmedizin. In U. Ehrlert (Hrsg.). Lehrbuch der Verhaltensmedizin. Berlin: Springer-Verlag. pp. 95-132.
573. Timmer, B. & **Rief**, W. (2002). Psychotherapie bei somatoformen Störungen. In Strauss, B.

- (Hrsg.). Psychotherapie bei körperlichen Erkrankungen. Aus der Reihe Jahrbuch der Medizinischen Psychologie. Göttingen: Hogrefe. 96-109.
574. **Rief**, W.(2001). SOMS. Screening für somatoforme Störungen. In E. Brähler, J. Schuhmacher & B. Strauss (Hrsg.). Diagnostische Verfahren in der Psychotherapie. Göttingen: Hogrefe.p.331-334.
575. **Rief**, W.(2001).WI. Whiteley – Index zur Erfassung hypochondrischer Merkmale. In E. Brähler, J. Schuhmacher & B. Strauss (Hrsg.). Diagnostische Verfahren in der Psychotherapie. Göttingen: Hogrefe. P. 385-387.
576. Wambach, K.& **Rief**, W.(2001). Somatisierungsstörung und Somatisierungssyndrome. In R. Brinkmann-Göbel (Hrsg.). Handbuch für Gesundheitsberater. Bern: Huber-Verlag. Pp. 221-226.
577. Reisenzein, E.& **Rief**, W.(2001). Kognitiv-verhaltenstherapeutische Ansätze zur Behandlung des Somatisierungssyndroms. In H.P. Kapfhammer & H. Gundel (Hrsg.). Psychotherapie der Somatisierungsstörungen. Stuttgart: Thieme.
578. **Rief**, W. (2000). Somatisierungsstörung. In J. Margraf (Hrsg.). Lehrbuch der Verhaltenstherapie Band II. 2. Auflage. Berlin: Springer. pp. 189-208.
579. **Rief** & Birbaumer (2000). Biofeedback - ein Weg zur Beeinflussung von Körperfunktionen. In W. Rief & N. Birbaumer (Hrsg.). Biofeedback – Therapie. Stuttgart : Schattauer. pp. 1-6.
580. **Rief**, W. (2000). Der Aufbau einer Biofeedback-Abteilung. In W. Rief & N. Birbaumer (Hrsg.). Biofeedback – Therapie. Stuttgart : Schattauer. pp. 209-211.
581. Hiller, W.,& **Rief**, W.(2000). F45. Klinisch-psychologische Diagnostik und Behandlung bei somatoformen Störungen. In W. Beiglböck, S. Feselmayer, E. Honemann (Hrsg.). Handbuch klinisch-psychologischer Behandlung. Wien: Springer-Verlag. p. 251-268.
582. Trenkamp, S.& **Rief**, W. (2000). Intervention. In J. Straub, A. Kochinka & H. Werbik (Hrsg.). Psychologie in der Praxis. Anwendungs- und Berufsfelder einer modernen Wissenschaft. München: dtv. pp. 50-74.
583. Cuntz, U., Rauh, R. & **Rief**, W. (2000). Biofeedback und Beckenboden - Behandlung von Inkontinenz und Obstipation. In W. Rief & N. Birbaumer (Hrsg.). Biofeedback – Therapie. Stuttgart : Schattauer. pp. 142-176.
584. Nanke, A. & **Rief**, W. (2000). Biofeedback bei Somatisierungspatienten- Die Brücke zwischen organmedizinischem und psychosomatischem Krankheitsbild. In W. Rief & N. Birbaumer (Hrsg.). Biofeedback – Therapie. Stuttgart : Schattauer. pp. 68-90.
585. Heuser, J. & **Rief**, W. (2000). Biofeedback bei Spannungskopfschmerz und Migräne. In W. Rief & N. Birbaumer (Hrsg.). Biofeedback – Therapie. Stuttgart : Schattauer. pp. 26-41.
586. Heuser, J. & **Rief**, W.(2000). Ein kommentiertes Verzeichnis weiterführender Literatur. In W. Rief & N. Birbaumer (Hrsg.). Biofeedback – Therapie. Stuttgart : Schattauer. pp. 212-213.
587. Wambach, K.& **Rief**, W.(2000). „Ich bilde mir das doch nicht bloß ein“ – körperliche Beschwerden mit psychischer Ursache. In S. Barnow, H.J. Freyberger, W. Fischer & M. Linden (Hrsg.). Von Angst bis Zwang. Ein ABC der psychischen Störungen: Formen, Ursachen und Behandlung. Bern: Huber-Verlag. pp. 165-180.
588. Wambach, K.& **Rief**, W. Falldarstellung „Das Somatisierungssyndrom“. In H. Reinecker (Hrsg.). Fallbuch der Klinischen Psychologie, 2. Auflage. Göttingen: Hogrefe.
589. **Rief**, W.& Heuser, J.(1999). Verhaltenstherapeutische Grundlagen der Behandlung somatoformer Störungen. In M. Senf & M. Broda (Hrsg.). Praxis der Psychotherapie. 2. Aufl. Stuttgart: Thieme.pp. 515 – 523.
590. **Rief**, W.(1999). Psychologie in der Klinik: Ungenutzte Möglichkeiten, ungeahnte Schwierigkeiten. In W. Rief (Hrsg.). Psychologie in der Klinik. Stuttgart: Schattauer-Verlag. pp.1-5.
591. **Rief**, W.& Freyberger, H.J. (1999). Integration medizinischer und psychologischer Ansätze.

- In W. Rief (Hrsg.). Psychologie in der Klinik. Stuttgart: Schattauer-Verlag. pp. 148-151.
592. **Rief, W.**(1999). Psychologische Ansätze in der Klinik einführen – Aber wie? In W. Rief (Hrsg.). Psychologie in der Klinik. Stuttgart: Schattauer-Verlag. pp. 152-155.
593. **Rief, W.**(1999). Somatoforme Störungen. Moderatormanual. In M. Härter, M. Groß-Hardt, M. Berger (Hrsg.). Leitfaden Qualitätszirkel in Psychiatrie und Psychotherapie. Göttingen: Hogrefe. pp. 163-194.
594. Heuser, J.& **Rief, W.**(1999). Psychologische Tätigkeiten in der psychosomatischen Klinik. In W. Rief (Hrsg.). Psychologie in der Klinik. Stuttgart: Schattauer-Verlag. pp. 55-74.
595. **Rief, W.**& Hiller, W.(1998). Psychotherapie bei somatisierenden Patienten. In H.J. Möller, H. Lauter, H.P. Kapfhammer (Hrsg.). Psychiatrie für die Praxis 28. Somatisierung, Angst und Depression. München: MMV. pp. 85-108.
596. **Rief, W.**(1998). Somatoforme Störungen- ein Überblick. In Margraf, J., Neumer, S.& Rief, W.(Hrsg.). Somatoforme Störungen. Ätiologie, Diagnose und Therapie. Berlin: Springer-Verlag. pp. 3-14.
597. **Rief, W.** (1998). Somatoforme Störungen und dissoziative Störungen (Konversionsstörungen): Diagnostik und Klassifikation. In U. Baumann & M. Perrez (Hrsg.). Lehrbuch Klinische Psychologie -Psychotherapie. Bern: Huber. pp. 924-930.
598. **Rief, W.** (1998). Somatoforme Störungen und dissoziative Störungen (Konversionsstörungen): Ätiologie/Bedingungsanalyse. In U. Baumann & M. Perrez (Hrsg.). Lehrbuch Klinische Psychologie -Psychotherapie. Bern: Huber. pp. 931-940.
599. **Rief, W.** & Hiller, W. (1998). Somatoforme Störungen und dissoziative Störungen (Konversionsstörungen): Intervention. In U. Baumann & M. Perrez (Hrsg.). Klinische Psychologie - Psychotherapie. Bern: Huber. pp. 941-951.
600. **Rief, W.**& Shaw, R. (1998). Verhaltenstherapie bei somatoformen Störungen. In G. Rudolf & P. Henningsen. Somatoforme Störungen. Theoretisches Verständnis und therapeutische Praxis. Stuttgart: Schattauer-Verlag. pp. 143-154.
601. Hiller, W.& **Rief, W.** (1998). Kognitive Verhaltenstherapie bei somatoformen Störungen. In M. Hautzinger (Hrsg.). Kognitive Verhaltenstherapie bei psychischen Erkrankungen. Weinheim: Beltz Psychologie Verlags Union. pp. 247-280.
602. Hiller, W. & **Rief, W.**(1998). Diagnosen und Instrumente. In Margraf, J., Neumer, S.& Rief, W.(Hrsg.). Somatoforme Störungen. Ätiologie, Diagnose und Therapie. pp. 15-36. Berlin: Springer-Verlag.
603. Hiller, W.& **Rief, W.** (1998). Somatoforme Störungen. In M. Berger (Hrsg.). Lehrbuch der Psychiatrie und Psychotherapie. München: Urban & Schwarzenberg.
604. **Rief, W.** (1997). Somatoforme Störungen. In H. Reinecker (Hrsg.). Lehrbuch der Klinischen Psychologie. 3. Aufl. pp. 291-313. Göttingen: Hogrefe.
605. **Rief, W.** (1996). Therapeutische Settings. In Margraf, J.(Hrsg.). Lehrbuch der Verhaltenstherapie. Band 1. pp. 449-467. Berlin: Springer.
606. **Rief, W.** (1996). Interaktion von Verhaltenstherapie und Pharmakotherapie bei der Behandlung von Personen mit Angststörungen. In Möller, H.J.& Kapfhammer, H.P.(Hrsg.). Interaktion von medikamentöser und psychosozialer Therapie in der Psychiatrie. pp. 147-164. Linz: Edition Pro Mente.
607. **Rief, W.** (1996). Somatoforme Störungen. In Linden, M. & Hautzinger, M.(Hrsg.). Verhaltenstherapie. pp. 387-393. Berlin: Springer-Verlag.
608. **Rief, W.** (1996). Erfolg und Mißerfolg in der Behandlung von Personen mit somatoformen Störungen. In Bents, H., Frank, R.& Rey, E.R.(Hrsg.). Erfolg und Mißerfolg in der Psychotherapie. pp. 98-105. Regensburg: Roderer Verlag.
609. Hermanutz, M.& **Rief, W.**(1996). Angst. In M. Hermanutz, C. Ludwig & H.P. Schmalz (Hrsg.). Moderne Polizeipsychologie in Schlüsselbegriffen. Stuttgart: Boorberg Verlag. pp.

9-19.

610. Fichter, M.M. & **Rief, W.** (1996). Funktionelle körperliche Störungen. In M.T. Gastpar, S. Kasper & M. Linden (Eds.). Lehrbuch der Psychiatrie. Berlin: de Gruyter. pp. 166-187.
611. **Rief, W.** & Fichter, M.M. (1995). Verhaltenstherapeutische Behandlung von Angststörungen. In Kasper, S. & Möller, H.J. (Hrsg.). Praxis der Angsterkrankungen. pp. 385-401. Jena: Gustav Fischer Verlag.
612. Geissner, E., Gonzales-Martin, E., **Rief, W.** & Fichter, M.M. (1995). Selbstsicherheitstraining in der stationären verhaltenstherapeutischen Psychosomatik. In Margraf, J. & Rudolf, K. (Hrsg.). Soziale Kompetenz. Hohengeren: Schneider-Verlag.
613. Shaw, R., **Rief, W.** & Fichter, M.M. (1995). Eßstörungen. In Petermann, F. (Hrsg.). Verhaltensmedizin in der Rehabilitation. Göttingen: Hogrefe. pp. 371-396.
614. **Rief, W.** (1993). Psychotherapie bei Adipositas. In Pirke, K.M. (Hrsg.). Eßstörungen: Entstehung-Diagnostik-Therapie. p. 26-33. Socio Medico Verlag: Gräfelfing bei München.
615. **Rief, W.** (1993). Psychotherapie von Angststörungen. In Hippius, H., Lauter, H. & Greil, W. (Hrsg.) Psychiatrie für die Praxis 18: Angst, Phobie, Panik- Angststörungen in der Praxis. MMV Medizin Verlag München: München. p. 57-71.
616. **Rief, W.** (1993). Stationäre Behandlung von Angst- und Panikpatienten : Darstellung eines Therapiekonzeptes. In Baumgärtel, F. & Wilker, F.W. (Hrsg.). Klinische Psychologie im Spiegel ihrer Praxis. Bonn: Deutscher Psychologen Verlag. p. 202-210.
617. **Rief, W.** (1992). Psychologische Therapie bei Angst- und Panikstörungen. In Weber-Falkensammer, H. (Ed.). Psychologische Therapieansätze in der Rehabilitation. Stuttgart: Fischer-Verlag. p. 214-237.
618. Goebel, G., Hiller, W., **Rief, W.** & Fichter, M. (1992). Integratives verhaltensmedizinisches Behandlungskonzept beim komplexen chronischen Tinnitus. Therapieevaluation und Langzeiteffekt. In G. Goebel (Hrsg.). Ohrgeräusche. Psychosomatische Aspekte des komplexen chronischen Tinnitus (pp. 117-152). München: Quintessenz-Verlag.

Further Articles etc./Weitere schriftliche Beiträge:

619. Ferstl, R. & **Rief, W.** (1984). Studien zur elektrophysiologischen Registrierung der mimischen Muskelaktivität. In Rollett, B. & Jirasko, M. (Eds.). Innovation in der psychologischen Forschung. Wien : Institut für Psychologie.
620. **Rief, W.** & Fichter, M.M. (1992). Verlaufsuntersuchung bei Bulimia Nervosa. In Montada, L. (Ed.). Bericht über den 38. Kongress der Deutschen Gesellschaft für Psychologie in Trier 1992. Göttingen: Hogrefe, pp 643-644.
621. **Rief, W.**, Hiller, W. & Fichter, M.M. (1992). Schmerz, Hypochondrie und somatoforme Störungen. In Montada, L. (Ed.). Bericht über den 38. Kongress der Deutschen Gesellschaft für Psychologie in Trier 1992. Göttingen: Hogrefe, pp 526-527.
622. **Rief, W.** & Fichter, M.M. (1993). The symptom check list (SCL-90R) and its ability to discriminate between dysthymia, anxiety disorders, and anorexia nervosa. In Morgan, H.G. & Kupfer, D.J. (Eds.). Current Opinion in Psychiatry. London: Current Science Ltd.
623. **Rief, W.** & Kohli, G. (1993). Die Panikattacke: Von einem organmedizinischen Krankheitsmodell zu einem psychophysiologischen Verständnis. In Hoefer, H.W., Rosemeier, H.P. & Göpfert, W. (Hrsg.). Angst-Panik-Depression. Ursachen und Behandlungskonzepte aus psychologischer und medizinischer Sicht. München: Quintessenz.
624. **Rief, W.** & Fichter, M.M. (1993). Lista de chequeo de síntomas SCL-90-R y su capacidad de discriminar entre distimia, trastornos de ansiedad y anorexia nervosa. Focus on Psychiatry, 1, 68-69.
625. **Rief, W.** (1994). Biofeedback- von der isolierten Technik zu einem integrativen Therapiebaustein. In Milz, H. (Hrsg.). Mit Kopf, Hand, Fuss und Herz- Gesundheitsförderung

- und ganzheitliche Medizin. Frankfurt: Piper.
626. **Rief**, W. (1995). Somatoforme Störungen. In Pawlik, K. (Hrsg.). (Ed.). Bericht über den 39. Kongress der Deutschen Gesellschaft für Psychologie in Hamburg 1994. Göttingen: Hogrefe, pp 845-846.
627. Hiller, W., **Rief**, W., Fichter, M.M.(1994). Psychometrische Ansätze zur Klassifikation und Quatifizierung somatoformer Störungen. In Pawlik, W. (Ed.). Bericht über den 39. Kongress der Deutschen Gesellschaft für Psychologie in Hamburg 1994. Göttingen: Hogrefe, pp 286-287.
628. Kissling, B., Riepl, M., **Rief**, W.& Heuser, J.(1994). Emotionsausdruck und Sprachgebrauch bei somatoformen Störungen. In Pawlik, K.(Ed.). Bericht über den 39. Kongress der Deutschen Gesellschaft für Psychologie in Hamburg 1994. Göttingen: Hogrefe, p .357.
629. **Rief**, W., Heuser, J., Riepl, M.& Kissling, B. (1994). Monotonie als Risikofaktor für die Entstehung somatoformer Störungen. In Pawlik, W. (Ed.). Bericht über den 39. Kongress der Deutschen Gesellschaft für Psychologie in Hamburg 1994. Göttingen: Hogrefe, p 573.
630. **Rief**, W.(1994). Zwischen Qualitätssicherung und der Sicherung von Pfründen. Süddeutsche Zeitung.12.01.94.
631. **Rief**, W., Vögele, C., Shaw, R., Tillmanns, A., Martin, A.& Fichter, M.M.(1995). Immunological, physiological, and interoceptive aspects of somatoform disorders. Annals of Behavioral Medicine, 17 (Suppl.), p. 77 (Abstract).
632. **Rief**, W. (1995). Angsterkrankungen- Neue Entwicklungen zur Diagnostik und Behandlung. Prien a.Ch.: Klinik Roseneck (Eigenverlag).
633. **Rief**, W.(1996). Somatoforme Störungen. Berater/Übersetzer der deutschen Ausgabe von DSM-IV. Herausgeber: Saß, Wittchen & Zaudig.
634. Hiller, W.& **Rief**, W.(1997). Somatoforme Störungen- Fortschritte und Neuentwicklungen der Diagnostik und Behandlung. Prien a.Ch.: Klinik Roseneck (Eigenverlag).
635. **Rief**, W. (1997). Somatoforme Störungen- frühzeitig aufklären. T & E Neurologie Psychiatrie 11, p.734.
636. **Rief**, W.(1996). Ein Unglück kommt selten allein- Begleiterkrankungen der Angststörungen. DAZ Deutsche Angstzeitschrift 2. Jg. Heft 4, 4-7.
637. Shaw, R., **Rief**, W. & Fichter, M.M. (1997). Eßstörungen. In Petermann, F.(Hrsg.). Rehabilitation. Göttingen: Hogrefe. pp. 371-396.
638. **Rief**, W.(1998). Unklare körperliche Beschwerden- Was Sie wissen sollten. Eine Informationsbroschüre für Patienten. Kössen (A): PWG.
639. Hamm, A., Sartory, G.& **Rief**, W. Stellungnahme der Fachgruppe Klinische Psychologie der DGPs zum Positionspapier „Die Behandlung psychischer Erkrankungen in Deutschland“, verfasst von der DGPPN.
Nervenarzt 1998, Heft 1.
Psychotherapeut 1997; 42:320-321.
Zeitschrift für Klinische Psychologie 26, 312-313 (1997).
Verhaltenstherapie 7, 181-182 (1997).
640. **Rief**, W.(Hrsg., 1998). Biofeedback- Ein neuer Weg zur erfolgreichen Behandlung in der Psychosomatik. Prien a.Ch.: Roseneck (Eigenverlag).
641. **Rief**, W.(1999). Moderatormaterialien zum Thema „Somatoforme Störungen“. Aus der Serie „Qualitätszirkel in der ambulanten psychiatrisch-psychotherapeutischen Versorgung“. Freiburg: Universitätspsychiatrie.
642. **Rief**, W.(1998). „Und wenn ich doch AIDS habe?“. Ein Beitrag zum Thema AIDS-Phobie. DAZ Deutsche Angstzeitschrift.
643. Timmer, B., Bleichhardt, G.& **Rief**, W.(2001). Cognitive-behavioral group therapy for somatization syndrome – A controlled intervention study. Psychosomatic Medicine 63, 114.

644. **Rief**, W. & Sharpe, M.(2005). The DCPR: Harbinger (but not prototype) of better approaches in psychosomatic medicine. An answer to the comments of Porcelli and Mangelli. *Journal of Psychosomatic Research*, 58, 213.
645. **Rief**, W.(2006). Nebenwirkungen in Pharmastudien – Das ungeliebte Kind. *BIOForum* 4/2006, 2-3.

Anmerkung: Diverse weitere Veröffentlichungen (z.B. Kongress-Abstracts in Zeitschriften) sind hier nur in einzelnen Ausnahmen aufgeführt. Vollständige Liste beim Autor.

Books and Manuals / Buch- und Testveröffentlichungen:

646. **Rief**, W. & Henningsen, P.(2015). Psychosomatik und Verhaltensmedizin. Schattauer-Verlag, Stuttgart.
647. **Rief**, W. (Ed., 2013). Cognitive-Behavior Therapy – A Reference Guide Vol. III. Wiley Blackwell Press.
648. Martin, A., Härter, M., Henningsen, P., Hiller, W., Kröner-Herwig, B., & **Rief**, W. (2013). Evidenzbasierte Leitlinie zur Psychotherapie somatoformer Störungen und assoziierter Syndrome. Göttingen: Hogrefe.
649. Berking, M. & **Rief**, W. (2012). Klinische Psychologie und Psychotherapie. Band I. Grundlagen und Störungswissen. Berlin: Springer.
650. Berking, M. & **Rief**, W. (2012). Klinische Psychologie und Psychotherapie. Band II. Therapieverfahren. Berlin: Springer.
651. **Rief**, W. & Hiller, W. (2011). Somatisierungsstörung [Somatization Disorder]. Aus der Serie „Fortschritte der Psychotherapie“. 2., aktualisierte Auflage. Göttingen : Hogrefe-Verlag.
652. **Rief**, W., Glombiewski, J.A.& Barsky, A.J. (2009). Generic Assessment of Side Effects GASE. www.GASE-scale.com
653. **Rief**, W. (2009). Bereichsherausgeber Intervention. In Margraf, J & Müller-Spahn, F.J. Pschyrembel Psychiatrie, Klinische Psychologie, Psychotherapie. Berlin: De Gruyter.
654. Martin, A. & Rief, W. (Hrsg.). (2008). Wie wirksam ist Biofeedback? [How effective is biofeedback?] Bern: Huber-Verlag.
655. **Rief**, W.& Hiller, W.(2008). Das Screening für somatoforme Störungen SOMS [The Screening for Somatoform Symptoms]. Manual zum Fragebogen. Bern: Huber-Verlag. 2nd revised edition.
656. Hilbert, A., Dabrock, P. & **Rief**, W. (Hrsg.). (2007). Gewichtige Gene [Important Genes]. Bern: Huber-Verlag.
657. **Rief**, W., Exner, C., Martin, A. (2006). Psychotherapie – Ein Lehrbuch. (Psychological Interventions). Stuttgart: Kohlhammer.
658. Hilbert, A. & **Rief**, W. (2006). (Hrsg.) Adipositas-Prävention. (Obesity Prevention). Bern: Huber-Verlag.
659. Rauh, E. & **Rief**, W.(2006). Somatisierung und Hypochondrie. In der Serie „Patientenratgeber zu den Fortschritten der Psychotherapie“ (Hrsg.: D. Schulte, K. Grawe, K. Hahlweg & D. Vaitl). Göttingen: Hogrefe.
660. **Rief**, W. & Birbaumer, N. (2010, 2006, 2000) (Hrsg.). Biofeedback. Grundlagen, Indikation, Kommunikation und praktisches Vorgehen in der Therapie [Biofeedback Treatment]. Stuttgart: Schattauer-Verlag. 3. Auflage in Bearbeitung.
661. Hiller, W.& **Rief**, W.(2004). Internationale Skalen für Hypochondrie [International Scales for Hypochondriasis]. Bern: Huber-Verlag.
662. **Rief**, W.(1999) (Hrsg.). Psychologie in der Klinik [Psychology in Inpatient Settings]. Eine

- Orientierungshilfe. Stuttgart: Schattauer-Verlag.
663. **Rief**, W. & Hiller, W. (1998). Somatisierungsstörung und Hypochondrie [Somatization Disorder and Hypochondriasis]. Aus der Serie „Fortschritte der Psychotherapie“. Göttingen : Hogrefe-Verlag.
664. Margraf, J., Neumer, J. & **Rief**, W. (Hrsg.; 1998). Somatoforme Störungen. Ätiologie, Diagnose und Therapie [Somatoform Disorders]. Heidelberg : Springer-Verlag.
665. **Rief**, W., Hiller, W. & Heuser, J. (1997). Das Screening für somatoforme Störungen SOMS [The Screening for Somatoform Symptoms]. Manual zum Fragebogen. Bern: Huber-Verlag.
666. **Rief**, W. (1995). Multiple somatoforme Symptome und Hypochondrie [Multiple Somatoform Symptoms and Hypochondriasis]. Bern: Huber.
667. **Rief**, W. & Hiller, W. (1992). Somatoforme Störungen [Somatoform Disorders]. Bern: Huber.
668. **Rief**, W. (1987). Prozesse der visuellen Informationsverarbeitung bei chronisch Schizophrenen [Visual Information Processing in Chronic Schizophrenics]. Konstanz : Hartung Gorre.